₫

more products please visit us on fiberoptical-cables.com

# FTTH Outdoor Drop Cable KABEL FIBER G657A1 1 Core 3 FTTH Drop Wire 4 Core Drop Cable For Network ISP

#### Basic Information

Place of Origin: GUANGZHOU/CHINA
 Brand Name: CABLEPULS
 Certification: ISO/CE/ROSH
 Model Number: FTTH DROP CABLE

• Minimum Order Quantity: 2km
• Price: negotiate

Packaging Details: Wooden Spool /drum

• Delivery Time: 5-25days

• Payment Terms: 30%TT as deposit,70%Balance before

shipping. 100km



### **Product Specification**

Supply Ability:

• Cable Model: GJYXCH/GJYXFCH

Outer Sheath Color: BlackCable Length: Customized

• Feature: Flame Retardant Characteristics

• Jacket: LSZH

• Installation Style: Indoor & Outdoor Self-Support Drop Cable

Messenger Wire: Steel

• Highlight: 1 Core FTTH Drop Cable, FTTH Drop Cable,

G657A1 FTTH Drop Cable



# More Images



#### **Product Description**


#### FTTH Outdoor Drop Cable KABEL FIBER G657A1 1Core 3 Selling FTTH Drop Wire 4 Core Drop Cable For Network ISP

FTTH DROP CABLE 2CORE 3SEALINGS 3STEEL WIRE OUTDOOR DROP CABLE refers to a type of fiber optic cable used in Fiber-to-the-Home (FTTH) installations. It is designed for outdoor use and is commonly used to connect the optical fiber distribution network to individual homes or buildings.

network to individual homes or buildings.

This specific cable configuration has 1 fiber core, which carries the optical signal, and is protected by 3 sealings, providing additional layers of protection against moisture and other environmental factors. The cable also features 3 steel wires, which provide strength and durability to withstand outdoor conditions and prevent damage to the optical fiber. Overall, the FTTH DROP CABLE 1CORE 3SEALINGS 3STEEL WIRE OUTDOOR DROP CABLE

ensuring efficient data transmission and communication.



Cable marking							
Туре	(mm)	Weight (kg/km)	Tensile strength Long/short term (N)	Crush Long/short term (N/100mm)	Bending Radius Static/Dynamic		
GJXH- 1	2.0*3.0	10.5	100/200	500/1000	15/30		
2		10.5	100/200	500/1000	15/30		
GJXH- 4	2.0*3.0	10.5	100/200	500/1000	15/30		
Туре	Diameter (mm)	Weight (kg/km)	Tensile strength Long/short term (N)	Crush Long/short term (N/100mm)			
11	2.0*3.0	7.5	40/80	500/1000	15/30		
_	2.0*3.0	7.5	40/80	500/1000	15/30		
GJXFH 4	2.0*3.0	7.5	40/80	500/1000	15/30		

Fiber Parameters								
No.	Items	Unit	Specificatio n G.652D					
1	Mode Field Diameter	1310nm	μm	9.2±0.4				
'	Mode Field Diameter	1550nm	μm	10.4±0.8				
2	Cladding Diameter	μm	125.0±1.0					
3	Cladding Non-Circularity	%	≤1.0					
4	Core-Cladding Concentricity E	μm	≤0.5					
5	Coating Diameter	μm	245±5					
6	Coating Non-Circularity	%	≤6.0					
7	Cladding-Coating Concentricity	μm	≤12.0					
8	Cable Cutoff Wavelength	nm	λcc≤1260					
9		1310nm	dB/km	≤0.35				
		1550nm	dB/km	≤0.21				
	Attenuation(max.)	1380nm	dB/km	≤0.35				
		1625nm	dB/km	≤0.24				
10		1310nm 1285- 1330nm	dB/km	≤0.04				
	Attenuation and wavelength	1550nm 1525- 1575nm	dB/km	≤0.03				
	waveleligtii	1550nm 1480- 1580nm	dB/km	≤0.05				
11		1288-1339nm	ps/(nm.km)	≥-3.5, ≤3.5				
		1271-1360nm	ps/(nm.km)	≥-5.3, ≤5.3				
	Dispersion	1480-1580nm	ps/(nm.km)	≤20				
	Diopersion	1550nm	ps/(nm.km)	≤18				
12	Zero dispersion wavelength	Nm	1300-1324					
13	Zero dispersion slope	ps/(nm2•km)	≤0.092					
14	Typical value	ps/(nm2•km)	0.04					
15	Largest individual fiber	Ps/√ km	0.2					
16	Link design values	Ps/√ km	0.1					
17	Two way average	1310nm- 1550	≤0.01dB					



# **Production Supplier Profile**





# **OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM**





- How do I place an OEM or customized order?

  1) Send your purchase intention to our email: cotton@fibercablepuls.com

  2) Our sales team will contact you to confirm the product specification, packaging, printing, quantity, and other specific information.

  3) Sign the contract or Proforma Invoice.

  4) After receiving your deposit, we will start to arrange the production.

  5) 2 weeks before the completion of production, we will notify you to start contacting shipping.





+8613687956390

cotton@fibercabl