· Certification: ISO/CE/ROSH Model Number: GJYXFCH-2b6

 Minimum Order Quantity: 2km • Price: negotiate

Packaging Details: Wooden Spool /drum

Delivery Time: 5-25days

30%TT as deposit,70%Balance before • Payment Terms:

shipping. 100km



Product Specification

Supply Ability:

• Cable Model: GJYXCH/GJYXFCH-2b6

• Outer Sheath Color: Black/white Cable Length: 1km 2km

• Feature: Flame Retardant Characteristics

Jacket: LSZH

• Installation Style: Indoor & Outdoor Self-Support Drop Cable

Messenger Wire: Steel

• Highlight: LSZH Jacket FTTH Drop Cable

Flame Retardant FTTH Drop Cable



Our Product Introduction

Product Description

1 Core 2 Core 4 Core FTTH Drop Cable G657A2 Fiber Optic Drop Cable Drop Wire Cable Description

FTTH Cable directly connected to their homes, their bandwidth, wavelength and transmission technology type are not restricted. The optical fiber unit id positioned in the centre. Two parallel strength member are placed at the two sides. A steel wire as the additional strength member is also applied ,then, the cable is completed with a black HDPE sheath.

Features

- Soft and bendable, easy to deploy and maintenance.
- Smaller diameter, Light weight, and high practicability.
- Fiber reinforced plastic as the strength member ensures excellent anti-electromagnetic performance.

- Environmental protection- Low smoke, zero halogen and flame retardant sheath.

Application

- -Adopted to indoor distribution.
- -As pigtail of communication equipment
- -Suitable for communication equipment servrd
- -Can be installed conveniently and perated simply

Optical Specifications


Parameter	Specification
Attenuation @ 1310 nm	≤ 0.36 dB/km
Attenuation @ 1550 nm	≤ 0.22 dB/km
Chromatic Dispersion @ 1550 nm	≤ 18 ps/nm.km
Zero Dispersion Wavelength	1300 - 1324 nm

Physical and Mechanical Properties

Characteristic	Specification
Outer Diameter	2.0 x 5.0 mm ± 0.2
	mm
Net Weight	20 kg/km ± 2 kg/km
Max. Tensile Loading (Short Term)	600 N
Max. Tensile Loading (Long Term)	300 N
Crush Resistance (Short Term)	1000 N
	2200 N
Operating Temperature Range	-20°C to +60°C

Reel Length: 2 km per reel, packaged in a single carton box.
Sheath Marking: Brand, Cable type, Fiber type and counts, Year of manufacture, and Length marking as per requirement, at 1

	Loading quantity suggestic	on	
	20'GP container	1KM/roll	812KM
	20 GI CONTAINEI	2KM/roll	1000KM
	40'HQ container	1KM/roll	1900KM
TO LIG CONTAINE	- Containe	2KM/roll	2000KM




Fiber count	1/2/4
Tight buffer	LSZH, White
Tight buffer diameter	0.90±0.05mm
Fiber Type	G657A1/A2
Strength member	Glass yarn/aramid yarn
Outer sheath	LSZH Lower smoke zero halogen frame retardant & UV Anti
Cable Diameter dimensions	3.0±0.2mm
Operation temperature range	-40 °C to + 70 °C
Installation temperature range	-5 +50°C
Transport and storage temperature range	-40 °C to + 70 °C
Tension Load (N)	Short term :1000N Long term :600N
Crush Load(N)	Long term 1000 N/100mm Short term:2200N/100mm
Minimal installation bending radius	30 x OD
Minimal operation bending radius	15 x OD
Cable marking	The marking length 1meter apart, as required

				processing to again the control of the control			
Туре	Diameter (mm)	Weight (kg/km)	Tensile strength Long/short term (N)		Bending Radius Static/Dynamic		
	2.0*3.0	10.5	100/200	500/1000	15/30		
	2.0*3.0	10.5	100/200	500/1000	15/30		
GJXH- 4	2.0*3.0	10.5	100/200	500/1000	15/30		
Туре	Diameter (mm)	Weight (kg/km)	Tensile strength Long/short term (N)	Crush Long/short term (N/100mm)			
11	2.0*3.0	7.5	40/80	500/1000	15/30		
	l- 2.0*3.0	7.5	40/80	500/1000	15/30		
GJXFH 4	2.0*3.0	7.5	40/80	500/1000	15/30		

Fiber Parameters				
No.	Items		Unit	Specificatio n G.652D
		1310nm	μm	9.2±0.4

1	Mode Field Diameter	1550nm	μm	10.4±0.8
2	Cladding Diameter	μm	125.0±1.0	
3	Cladding Non-Circularity	%	≤1.0	
4	Core-Cladding Concentricity Error		μm	≤0.5
5	Coating Diameter		μm	245±5
ŝ	Coating Non-Circularity		%	≤6.0
7	Cladding-Coating Concentricit	y Error	μm	≤12.0
3	Cable Cutoff Wavelength	nm	λcc≤1260	
		1310nm	dB/km	≤0.35
		1550nm	dB/km	≤0.21
9	Attenuation(max.)	1380nm	dB/km	≤0.35
J	Attendation(max.)	1625nm	dB/km	≤0.24
	Attenuation and wavelength	1310nm 1285- 1330nm	dB/km	≤0.04
10		1550nm 1525- 1575nm	dB/km	≤0.03
		1550nm 1480- 1580nm	dB/km	≤0.05
	1 Dispersion	1288-1339nm	ps/(nm.km)	≥-3.5, ≤3.5
		1271-1360nm	ps/(nm.km)	≥-5.3, ≤5.3
11		1480-1580nm	ps/(nm.km)	≤20
		1550nm	ps/(nm.km)	≤18
2	Zero dispersion wavelength		Nm	1300-1324
3	Zero dispersion slope		ps/(nm2•km)	≤0.092
4	Typical value		ps/(nm2•km)	0.04
15	Largest individual fiber		Ps/√ km	0.2
16	Link design values	Ps/√ km	0.1	
7 Two way average			1310nm- 1550	≤0.01dB

finished products





Production Supplier Profile







OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM





How do I place an OEM or customized order?

1) Send your purchase intention to our email: cotton@fibercablepuls.com





+8613687956390

- 2) Our sales team will contact you to confirm the product specification, packaging, printing, quantity, and other specific information.

 3) Sign the contract or Proforma Invoice.

 4) After receiving your deposit, we will start to arrange the production.

 5) 2 weeks before the completion of production, we will notify you to start contacting shipping.

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China