



48 96 Fo Fiber Optic Splice Closure with Mechanical Sealing Dome

Our Product Introduction

for more products please visit us on fiberoptical-cables.com

Basic Information

- Place of Origin: GUANGZHOU/CHINA
- Brand Name: PUNAISGD/CABLEPULS
- Certification: ISO/CE/ROSH
- Model Number: DOME FIBER SPLICE CLOSURE
- Minimum Order Quantity: 2km
- Packaging Details: Wooden Spool /drum
- Delivery Time: 5-25days
- Payment Terms: 30%TT as deposit,70%Balance before shipping.
- Supply Ability: 100km




Product Specification

- Capacity: Up To 144 Fibers
- Material: High-strength Engineering Plastic
- Fiber Type: Single Mode Or Multimode
- Fiber Storage: Loose Tube Or Ribbon Fiber
- Installation Method: Wall-mounted Or Pole-mounted
- Closure Dimensions: 450mm X 200mm X 100mm
- Sealing Method: Mechanical Sealing
- Application: Outdoor Or Indoor Use
- Splice Tray Capacity: 12-24 Fibers Per Tray
- Operating Temperature: -40°C To 65°C
- Splice Protection Sleeve: Heat Shrinkable Tube
- Protection Level: IP68
- Cable Entry: 4 Cable Ports
- Highlight: Sealing Dome Fiber Optic Splice Closure, 96 Fo Fiber Optic Splice Closure, 48 Fo Fiber Optic Splice Closure



More Images



Product Description

48 96 FO MECHANICAL SEALING DOME CLOSURE FIBER OPTIC SPLICE CLOSURE FIBER OPTIC SPLICE BOX

Our Product Introduction



Strand Overhead application.



Underground application.



Pole application.




Wall mounting application.




| Parameters | Value |
|-----------------------------|---|
| Cable Ports | 5 Entries |
| Cable Diameter | Φ10~Φ38mm |
| Max. Capacity of Fiber | 96 Fibers |
| Splice Tray | 24 Fibers + 24 SC Fiber Port for PLC Splitter or Fiber Pigtails |
| Sealing Type | Shrinkable Seal Type |
| Installation Type | Pole-Mounted |
| IP Rating | IP68 |
| Lateral Pressure Resistance | ≥2000N/10cm |
| Shock Resistance | ≥20N.m |
| Operating Temperature | -40°C~ +80°C |
| Dimensions (HxW) | 475x460x140mm |
| Weight | 5.8kg |

Production Supplier Profile



COMPANY PROFILE



ABOUT FIBER

Guangzhou fiber cablepuls co.,ltd

Fiber cablepuls is one of the high-tech fiber optic cable factories in China that can produce the most complete series of fiber optic cables, equipped with the most advanced fiber optic cable manufacturing, and have the most advanced fiber optic connector production and testing equipment in China.

The factory has obtained SGS ISO9001-2015, ISO14001-2004 and GB/T28001-2001 successfully obtained international system certification.

Over the past 12 years, we have provided optical cable products and comprehensive solutions to more than 90 countries and regions around the world, and have received unanimous praise from customers, such as foreign telecom departments of the United States, Mexico Telecom, Thailand Telecom, Philippines Telecom, etc.; domestic customers include: China Mobile, the General Administration of Radio, Film and Television, Lenovo, and many other large national enterprises.



OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM



How do I place an OEM or customized order?

- 1) Send your purchase intention to our email: cotton@fibercablepuls.com
- 2) Our sales team will contact you to confirm the product specification, packaging, printing, quantity, and other specific information.
- 3) Sign the contract or Proforma Invoice.
- 4) After receiving your deposit, we will start to arrange the production.
- 5) 2 weeks before the completion of production, we will notify you to start contacting shipping.

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan International Guangzhou city, Guangdong province, China