Basic Information

. Place of Origin: **GUANGZHOU/CHINA** . Brand Name: PUNAISGD/CABLEPULS

ISO/CE/ROSH · Certification: Model Number: Fiber opitc adapter

Minimum Order Quantity: 100pcs Packaging Details: plastic . Delivery Time: 5-25days

• Payment Terms: 30%TT as deposit,70%Balance before

shipping.

10000pcs . Supply Ability:



Product Specification

. Connector Type: Connector Type

. Insertion Loss:

· Color: Green, Blue, Red, Yellow, Gray, Aqua, Violet

• Fiber Mode: Single Mode

• Highlight: Fiber Optic Cable Connectors,

Sc UPC/APC Adapter, Sc Fiber Coupler



More Images





SC UPC / APC Adapter Fiber Optic Cable Connectors Fiber Coupler

Product Attributes

Attribute	Value
Connector Type	SC-SC
Insertion Loss	≤0.2dB
Color	Green, Blue, Red, Yellow, Gray, Aqua, Violet
Fiber Mode	Single Mode (OS2 9/125μm)

Product Description

The SC UPC/APC Fiber Optic Adapter is a precision device designed to connect fiber optic cables or connectors between two fiber optic lines. These adapters (also called couplers) ensure optimal light transmission with minimal signal loss.

Key advantages include low insertion loss, excellent interchangeability, and reliable reproducibility. Our comprehensive range includes various mating sleeves and hybrid adapters, including special male-to-female hybrid fiber optic adapters.











Stainless Steel Clip Allow for easy snap-in installation without tools



Zirconia Ceramic Sleeve Low insertion loss with highprecision alignment



Technical Specifications

Connector Type: SC-SC

APC Polish Type:

Insertion Loss: ≤0.2dB

1000 times

Color: Green

Package Quantity: 10 Pcs

Body Style: Simplex

Fiber Mode: OS2 9/125µm

Durability:

Flammability Rate: UL 94V-0

RoHS Status: Compliant

Mounting Type: Full flanged

Alignment Sleeve: Ceramic

Production Supplier Profile



guangzhou fiber cablepuls co ltd

+8613687956390

cotton@fibercablepuls.com

fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China