



HDPE FRP Flat Drop Aerial Fiber Optic Cable 4-12 Cores

Our Product Introduction

for more products please visit us on fiberoptical-cables.com


Basic Information

- Place of Origin: GUANGZHOU/CHINA
- Brand Name: PUNAISGD/CABLEPULS
- Certification: ISO/CE/ROSH
- Model Number: GYFXTBY
- Minimum Order Quantity: 2km
- Packaging Details: Wooden Spool /drum
- Delivery Time: 5-25days
- Payment Terms: 30%TT as deposit,70%Balance before shipping.
- Supply Ability: 100km





Product Specification

- Cable Dimension: 7.0mm
- Outer Sheath: HDPE
- Laying Method: Aerial
- Sample Status: In Stock
- Operating Temperature: -40°C To +70°C
- Factory: Yes
- Filler: Filling Compound
- Waterproof: Yes
- Cable Type: FRP
- Lift Time: More Than 20 Years
- Fiber Color: Blue,Orange,Brown,Aqua,Grey
- Highlight: 12 cores duct fiber optic cable,
12 cores outdoor fiber optic cable,
frp duct fiber optic cable



More Images



Product Description


Flat Drop Cable Non-Metallic Aerial 4 core 6 core 8 core 12 cores


Product Specifications

Attribute	Value
Cable Dimension	7.0mm
Outer Sheath	HDPE
Laying Method	Aerial
Sample Status	In stock
Operating Temperature	-40°C to +70°C
Factory	Yes
Filler	Filling Compound
Waterproof	Yes
Cable Type	FRP
Lift Time	More Than 20 years
Fiber Color	Blue, Orange, Brown, Aqua, Grey

Product Description

Flat fiber optic drop cable (also called fiber optic GYFBY cable) is designed for last mile installation routes to connect final users to FTTH or GPON lines. The PE Sheath FRP Flat Drop Cable offers high tensile strength and flexibility in compact cable sizes.





Technical Specifications

Cable Type	Fiber Count	Cable Diameter (mm)	Cable Weight (kg/km)	Tensile Strength long/short term (N)	Crush Resistance long/short term (N)	Bending Radius Static/Dynamic (mm)
GYFXY	2-12	4.5*8.0	38	600/1500	300/1000	10D/20D
GYFXY	14-24	4.5*8.5	38	600/1500	300/1000	10D/20D




Packaging Information


COMPANY Fiber cable name N*cores G.652D 2024 XXXXm

The marking is printed every 1 meter


"G.652D" means ITU-T Rec. Low Water Peak (LWP) G.652 single mode optical fiber

Custom cable marking available according to client requirements





COMPANY PROFILE



ABOUT FIBER

Guangzhou fiber cablepuls co.,ltd

Fiber cablepuls is one of the high-tech fiber optic cable factories in China that can produce the most complete series of fiber optic cables, equipped with the most advanced fiber optic cable manufacturing, and have the most advanced fiber optic connector production and testing equipment in China.

The factory has obtained SGS ISO9001-2015, ISO14001-2004 and GB/T28001-2001 successively obtained international system certification.

Over the past 12 years, we have provided optical cable products and comprehensive solutions to more than 90 countries and regions around the world, and have received unanimous praise from customers. such as foreign telecom departments of the United States, Mexico Telecom, Thailand Telecom, Philippines Telecom, etc., domestic customers include: China Mobile, the General Administration of Radio, Film and Television, Lenovo, and many other large national enterprises.



OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM



Ordering Process

How to place an OEM or customized order:

Send your purchase intention to our email: cotton@fibercablepuls.com

Our sales team will contact you to confirm product specifications, packaging, printing, quantity, and other details

Sign the contract or Proforma Invoice

After receiving your deposit, we will arrange production

2 weeks before production completion, we will notify you to arrange shipping



guangzhou fiber cablepuls co ltd



+8613687956390



cotton@fibercablepuls.com



fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong
province,China