



guangzhou fiber cablepuls co ltd
fiberoptical-cables.com




Underground Fiber Optic Duct Cable Armored GYTS OS2 Fiber 24 Core 48 Core

Our Product Introduction

for more products please visit us on fiberoptical-cables.com

Basic Information

- Place of Origin: GUANGZHOU/CHINA
- Brand Name: PUNAISGD/CABLEPULS
- Certification: ISO/CE/ROSH
- Model Number: GYTS-48B1.3
- Minimum Order Quantity: 2km
- Packaging Details: Wooden Spool /drum
- Delivery Time: 5-25days
- Payment Terms: 30%TT as deposit,70%Balance before shipping.
- Supply Ability: 100km




Product Specification

- Highlight: Duct Cable Armored, Underground Duct Cable, OS2 Fiber Duct Cable




More Images




Product Description

Underground Duct Fiber Optic Cable Armored GYTS OS2 FIBER 24 Core 48 Core

Our Product Introduction



In the GYTS cable, SM OS2 9/125 Fiber /om1 om2 om3 om4 fiber are positioned in the loose tubes, the tubes are filled with water blocking gelly filling compound. Tubes and fillers are Multi tube stranded around the strength member into a circular cable core. An Corrugated steel armoured is applied around the cable core. Then PE(polyethylene) are extruded outer sheath. The number of fiber core from 2-288core ,widely different fiber core types.



Cable Type	GYTS-24
Fiber Count	24
Tubes	4
Fillers	0
Cable Diameter(mm)	11.5
Cable Weight (kg/km)	126
Tensile Strength (Long/Short Term N)	1000/3000
Crush Resistance (Long/Short Term N/100mm)	300/1000
Bending Radius (Static/Dynamic mm)	10D/20D

Item		Unit	Specification
Fier Tyoe		G652D	G652D
Mode filed Diameter	1310nm	μm	9.2±0.4
	1550nm	μm	10.4±0.8
Cladding diameter		μm	125.0±0.1
Cladding non-circularity		%	≤1.0
Core/cladding concentricity error		μm	≤0.5
Coating diameter		μm	245±7
Coating/cladding concentricity error		μm	≤12
Cable cut-off wavelength		μm	≤1260
Attenuation Coefficient	1310nm	db/km	≤0.36
	1550nm	db/km	≤0.22
Proof stress level		kpsi	≥100
Note: Other parameters meet standard ITU-T G.652			


Cable Marking&Fibers Colors

COMPANY Fiber cable name N*cores G.652D 2024 XXXXm

*The marking is printed every 1 meter;

***"G.652D" means ITU-T Rec. Low Water Peak (LWP) G.652 single mode optical fiber..

Also can according to client cable marking.



COMPANY PROFILE



ABOUT FIBER

Guangzhou fiber cablepuls co.,ltd

Fiber cablepuls is one of the high-tech fiber optic cable factories in China that can produce the most complete series of fiber optic cables, equipped with the most advanced fiber optic cable manufacturing, and have the most advanced fiber optic connector production and testing equipment in China. The factory has obtained SGS ISO9001:2015, ISO14001:2004 and GB/T28001-2001 successively obtained international system certification. Over the past 12 years, we have provided optical cable products and comprehensive solutions to more than 90 countries and regions around the world, and have received unanimous praise from customers such as foreign telecom departments of the United States, Mexico Telecom, Thailand Telecom, Philippine Telecom, etc.; domestic customers include: China Mobile, the General Administration of Radio, Film and Television, Lenovo, and many other large national enterprises.



+8613687956390

cotton@fibercabl



OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM



How do I place an OEM or customized order?

- 1) Send your purchase intention to our email: cotton@fibercablepuls.com
- 2) Our sales team will contact you to confirm the product specification, packaging, printing, quantity, and other specific information.
- 3) Sign the contract or Proforma Invoice.
- 4) After receiving your deposit, we will start to arrange the production.
- 5) 2 weeks before the completion of production, we will notify you to start contacting shipping.

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan International Guangzhou city, Guangdong province, China