




Outdoor Fiber Optic Cable GYFXTY 8 Cores single mode Overhead Cable

Our Product Introduction

for more products please visit us on fiberoptical-cables.com

Basic Information

- Place of Origin: GUANGZHOU/CHINA
- Brand Name: PUNAI SGD/CABLEPULS
- Certification: ISO/CE/ROSH
- Model Number: GYFXTY-8b1.3
- Minimum Order Quantity: 2km
- Price: negotiable
- Packaging Details: Wooden Spool /drum
- Delivery Time: 5-25days
- Payment Terms: 30%TT as deposit,70%Balance before shipping.
- Supply Ability: 100km




Product Specification

- Item No: GYFXTY-8B1.3
- Structure: Central Tube
- Strength Member: FRP*0.7mm 2pcs
- Armor: Unarmored
- Outer Jacket Material: PE(Black)
- Packing: Wooden Drum
- Lift Time: More Than 20 Years
- Highlight: 8 cores duct fiber optic cable,
8 cores outdoor fiber optic cable,
frp duct fiber optic cable



More Images



Product Description

Outdoor Fiber Optic Cable GYFXTY 8 Cores Single Mode Overhead Cable


GYFXTY cable is 12 core Dielectric Fiber Cable.
The unique second coating and stranding technology provide the fibres with enough space and bending endurance, which ensure good optical property of the fibres in the cable.
Accurate process control ensures good mechanical and temperature performance.
High quality raw material guarantees the long service life of cable.

Features:


MFD (1310nm): 8.7~9.5 um
Cladding diameter: 125±1.0um
Fiber diameter: 235~255um, with UV coating, and colored to : 250±15um
Core/cladding concentricity error: ≤ 0.6um
Sheath Material: HDPE
Sheath Thickness (mm): Nominal: 1.5
Sheath Color: Black
Ripcord Number: 2
Ripcord Color: Red
Cable diameter(mm): Approx. 5.4
Cable weight(kg/km): Approx. 26

Our Product Introduction

Cable design



1. Optical fibers acc. ITU-T G.652 D / G.657A1.
2. Core filling – thixotropic gel.
3. Central tube – polyethyleneterephthalat (PBT).
4. Strength member: two fiber reinforced plastics placed longitudinally.
5. Outer sheath – polyethylene (HDPE).




Cable Data


Cable Type	Fiber Count	Cable Diameter (mm)	Cable Weight (kg/km)	Tensile Strength long/short term (N)	Crush Resistance long/short term (N)	Bending Radius Static/Dynamic (mm)
GYFY	2-12	5.5/6.0	55	600/1500	300/1000	10D/20D
GYFY	2-12	6.5/7.0	60	600/1500	300/1000	10D/20D



Production Supplier Profile



COMPANY PROFILE



ABOUT FIBER
Guangzhou fiber cablepuls co.,ltd

Fiber cablepuls is one of the high-tech fiber optic cable factories in China that can produce the most complete series of fiber optic cables, equipped with the most advanced fiber optic cable manufacturing, and have the most advanced fiber optic connector production and testing equipment in China.

The factory has obtained ISO 9001:2015, ISO 14001:2004 and GB/T28001:2001 successively obtained international system certification.

Over the past 12 years, we have provided optical cable products and comprehensive solutions to more than 50 countries and regions around the world, and have received unanimous praise from customers, such as foreign telecom departments of the United States, Mexico Telecom, Thailand Telecom, Philippines Telecom, etc.; domestic customers include China Mobile, the General Administration of Radio, Film and Television, Lenovo, and many other large national enterprises.



+8613687956390

cotton@fibercabl



OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM



How do I place an OEM or customized order?

- 1) Send your purchase intention to our email: cotton@fibercablepuls.com
- 2) Our sales team will contact you to confirm the product specification, packaging, printing, quantity, and other specific information.
- 3) Sign the contract or Proforma Invoice.
- 4) After receiving your deposit, we will start to arrange the production.

5) 2 weeks before the completion of production, we will notify you to start contacting shipping.

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong
province,China