




Direct Buried GYTZA53 Optical Fiber Cable LSZH Sheath Communications

Our Product Introduction


Basic Information

- Place of Origin: GUANGZHOU/CHINA
- Brand Name: PUNAISGD/CABLEPULS
- Certification: ISO/CE/ROSH
- Model Number: GYTZA53
- Minimum Order Quantity: 2km
- Price: negotiate
- Packaging Details: Wooden Spool /drum
- Delivery Time: 5-25 days
- Payment Terms: 30% TT as deposit, 70% Balance before shipping
- Supply Ability: 100km




Product Specification

- Waterproof: Yes
- Armored Type: Double Armored
- Jacket Material: LZSH
- Installation Method: Direct Buried
- Armored: Aluminum And Steel
- WARRANTY: 25 Years
- Highlight: **GYTZA53 Optical Fiber Cable, Direct Buried Optical Fiber Cable, LSZH Sheath Optical Fiber Cable**



More Images



GYTZA53 flame retardant optic fiber cable



for more products please visit us on fiberoptical-cables.com


Product Description


Direct Buried Cable GYTA53 Optical Fiber Cable LSZH Sheath Communications

Products Descriptions

GYTA53 underground flame retardant fireproof 4 12 18 24 48 72 96 144 core fibra optic draka fiber optic cable.

1. Specially designed compact cable structure to meet mechanical properties such as cable stretching and flattening;
2. The loose tube material has good hydrolysis resistance and high strength, and fully protects the optical fiber in the cable;
3. Using wrinkle double-sided plastic coated steel belt and HDPE sheathed cable, to meet the direct buried in the soil construction;
4. The outermost layer of PA12 nylon sheath effectively prevents the bites of ants and mice, ensures the safe use of the cable in certain occasions, does not damage the cable, and is an effective environmentally-friendly anti-ant and anti-rat protection measure;
5. Full cable core filling measures are taken to ensure the waterproof performance of the cable after it is buried.





GYTZA53 flame retardant optic fiber cable

Features

- Has good mechanical properties and temperature characteristics
- The loose tube material itself has good hydrolysis resistance and high strength
- The tube is filled with a special grease to protect the fiber
- Specially designed tight cable structure to prevent casing retraction

Product Parameters

Fiber count	Structure	Fibers per tube	Loose tube diameter (mm)	CSM diameter / pad diameter (mm)	Thickness of inner jacket (mm)	Thickness of outer jacket (mm)	Cable diameter (mm)	Cable Weight (kg/km)
4	1+6	4	1.7+0.1	1.8 / 1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
6	1+6	6	1.7+0.1	1.8 / 1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
8	1+6	4	1.7+0.1	1.8 / 1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
12	1+6	6	1.7+0.1	1.8 / 1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
18	1+6	6	1.7+0.1	1.8 / 1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	165
24	1+6	6	1.7+0.1	1.8 / 1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	165
30	1+6	6	1.7+0.1	1.8 / 1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	166
36	1+6	6	1.7+0.1	1.8 / 1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	166
48	1+6	12	2.0+0.1	1.8 / 1.8	0.9 ± 0.1	1.8 ± 0.1	13.8 ± 0.5	191
60	1+6	12	2.0+0.1	2.0 / 2.0	0.9 ± 0.1	1.8 ± 0.1	13.8 ± 0.5	191
72	1+6	12	2.0+0.1	2.0 / 2.0	0.9 ± 0.1	1.8 ± 0.1	13.8 ± 0.5	192
84	1+7	12	2.0+0.1	2.0 / 2.0	0.9 ± 0.1	1.8 ± 0.1	14.7 ± 0.5	218
96	1+8	12	2.0+0.1	2.0 / 2.0	0.9 ± 0.1	1.8 ± 0.1	15.4 ± 0.5	234
108	1+9	12	2.0+0.1	2.0 / 2.0	0.9 ± 0.1	1.8 ± 0.1	16.1 ± 0.5	253
120	1+10	12	2.0+0.1	2.0 / 2.0	0.9 ± 0.1	1.8 ± 0.1	16.8 ± 0.5	272
132	1+11	12	2.0+0.1	2.0 / 2.0	0.9 ± 0.1	1.8 ± 0.1	17.4 ± 0.5	293
144	1+12	12	2.0+0.1	2.0 / 2.0	0.9 ± 0.1	1.8 ± 0.1	18.2 ± 0.5	317
288	1+9+15	12	2.0+0.1	2.0 / 2.0	0.9 ± 0.1	1.8 ± 0.1	20.1 ± 0.5	383

Learn more about our products and factory



✓ OEM FOR WELL-KNOW BRANDS

✓ SUPPLIER FORTUNE 500 COMPANYS



Experiences

12



Sold to Countries

90+



Cooperative Suppliers

120+



Response Time

≤ 2h



On-time Delivery Rate

99%

COMPANY PROFILE



ABOUT FIBER

Guangzhou fiber cable co., Ltd

Fiber cablepuls is one of the high-tech fiber optic cable factories in China that can produce the most complete series of fiber optic cables, equipped with the most advanced fiber optic cable manufacturing, and have the most advanced fiber optic connector production and testing equipment in China.

The factory has obtained SGS ISO9001-2015, ISO14001-2004 and GB/T28001-2001 successively obtained international system certification.

Over the past 12 years, we have provided optical cable products and comprehensive solutions to more than 90 countries and regions around the world, and have received unanimous praise from customers. such as foreign telecom departments of the United States, Mexico Telecom, Thailand Telecom, Philippines Telecom, etc.; domestic customers include: China Mobile, the General Administration of Radio, Film and Television, Lenovo, and many other large national enterprises.



OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM



▲ Color Coating

▲ Color Fiber Testing

▲ Fiber to Loose Tube

▲ Stranded Loose Tube

▲ PE Sheath Coated

▲ Finished Cable Testing



HOT-SALE PRODUCT



TRANSPORT&PAY



And More.....



SHIPMENT



PACKAGING



TRUCK LOADING



GOODS RECEIPT

How do I place an OEM or customized order?

- 1) Send your purchase intention to our email: cotton@fibercablepuls.com
- 2) Our sales team will contact you to confirm the product specification, packaging, printing, quantity, and other specific information.
- 3) Sign the contract or Proforma Invoice.
- 4) After receiving your deposit, we will start to arrange the production.
- 5) 2 weeks before the completion of production, we will notify you to start contacting shipping.



guangzhou fiber cablepuls co ltd



+8613687956390



cotton@fibercablepuls.com



fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan International Guangzhou city, Guangdong province, China