Basic Information

. Place of Origin: **CHINA**

. Brand Name: PUNAISGD/CABLEPULS

· Certification: ISO/CE/ROSH Model Number: GYFTA53 • Minimum Order Quantity: 2km

• Price: negotiable

· Packaging Details: wooden/ spool drum

• Delivery Time: 5-25days

Payment Terms: 30%TT as deposit,70%Balance before

shipping.

. Supply Ability: 100km



Product Specification

. Installation Method: **Direct Buried**

Sheath Material: PΕ 72 . Number Of Cores: Corrosion Resistant: Yes

• Armor Type: Steel Tape/Steel Wire/Aluminum Wire

• Moisture Resistant:


. Highlight: **Double Jacket Direct Buried Cable,**

Steel Tape Armored Direct Buried Cable,

Double Jacket Optical Fiber Cable



More Images





Our Product Introduction

Product Description

Optical Fiber Direct Buried Cable GYFTA53 Steel Tape Armored Double Jacket

Product Specifications

Installation Method	Direct Buried
Sheath Material	PE
Number Of Cores	72
Corrosion Resistant	Yes
Armor Type	Steel Tape/Steel Wire/Aluminum Wire
Moisture Resistant	Yes

Product Description

Directly Buried Optical Fiber Cable GYFTA53 Double Armor Double Jacket


GYFTA53 cable is a robust, outdoor fiber optic cable designed for extensive, high-capacity communication systems. It is well-suited for both aerial and underground use.

This cable utilizes a central tube configuration with stranded loose tubes and incorporates a water-blocking gel. The loose tubes safeguard the fibers while facilitating straightforward installation and maintenance. The water-blocking gel enhances the cable's resistance to moisture, making it fit for deployment in challenging environmental conditions.

Additionally, the GYFTA53 cable is equipped with a corrugated steel tape armor that provides substantial physical protection against potential threats such as rodent damage, moisture, and other external hazards. This feature makes it ideal for environments where the cable may be exposed to damage.

Available in various fiber counts to accommodate different needs, the GYFTA53 cable can be customized with various sheath materials to suit specific environmental demands, including UV resistance and fire retardancy.

In summary, the GYFTA53 cable is a dependable and durable option for long-distance, high-capacity fiber optic networks, offering exceptional performance and protection in outdoor settings.



Product Details

GYFTA53




Designation Material		
Designation	Waterial	
Loose tube	PBT	
Filler	PE	
Outer jacket	HDPE	

Structure size:

Item	Size	
Structure	1+10	
Loose tube diameter	2.5±0.1 mm	
Nominal Thickness of outer jacket	1.8 mm	
Cable diameter	18.9 ± 0.5 mm	
Cable weight	295 kg/km	






Technical Parameters

Fiber count	Structure	Fibers per tube	Loose tube diameter(mm)	CSM diameter /pad diameter (mm)	Thickness of inner jacket (mm)	Thick
4	1+6	4	1.7+0.1	1.8 /1.8	0.9 ± 0.1	
6	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	
8	1+6	4	1.7+0.1	1.8 /1.8	0.9 ± 0.1	
12	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	
18	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	
24	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	
30	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	
36	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	
48	1+6	12	2.0+0.1	1.8 /1.8	0.9 ± 0.1	
60	1+6	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	
72	1+6	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	
84	1+7	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	
96	1+8	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	
108	1+9	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	
120	1+10	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	
132	1+11	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	
144	1+12	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	
288	1+9+15	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	

Manufacturing Facility



HOT-SALE PRODUCT





Why Choose Us?

Manufacturer Information

We are a manufacturer based in Guangzhou, China, established in 2011, and we focus on the domestic market (100.00%). Our factory employs approximately 11-50 people.

Quality Assurance

Pre-Production Sample: We provide a sample for approval before commencing mass production.

Final Inspection: We conduct a thorough inspection before shipping to ensure quality.

International Shipping: Yes, we can ship products to your country. If you do not have a shipping forwarder, we can assist with this as well.

OEM Services

We accept all OEM orders. Simply contact us with your design, and we will offer a competitive price and create samples for you.

Services We Offer

Delivery Terms: FOB, CIF, EXW

Accepted Payment Currencies: USD, EUR, JPY, CAD, AUD, HKD, GBP, CNY, CHF Accepted Payment Methods: T/T, L/C, D/P, D/A, PayPal, Western Union, Escrow

Languages Spoken: English, Chinese

guangzhou fiber cablepuls co ltd

+8613687956390

cotton@fibercablepuls.com

fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China