





Optical Fiber Direct Buried Cable GYFTA53 Steel Tape Armored Double **Jacket**

Basic Information

. Place of Origin: **CHINA**

. Brand Name: PUNAISGD/CABLEPULS

ISO/CE/ROSH · Certification: Model Number: GYFTA53 • Minimum Order Quantity: 2km • Price:

· Packaging Details: wooden/ spool drum

• Delivery Time: 5-25days

Payment Terms: 30%TT as deposit,70%Balance before

shipping.

negotiable

. Supply Ability: 100km



Product Specification

• Installation Method: **Direct Buried**

Sheath Material: PΕ 72 . Number Of Cores: Corrosion Resistant: Yes

Armor Type: Steel Tape/Steel Wire/Aluminum Wire

• Moisture Resistant:


· Highlight: **Double Jacket Direct Buried Cable,**

Steel Tape Armored Direct Buried Cable,

Double Jacket Optical Fiber Cable



More Images





Product Description

Directly Buried Optical Fiber Cable GYFTA53 Double Armor Double Jacket

GYFTA53 cable is a robust, outdoor fiber optic cable designed for extensive, high-capacity communication systems. It is well-suited for both aerial and underground use. This cable utilizes a central tube configuration with stranded loose tubes and incorporates

This cable utilizes a central tube configuration with stranded loose tubes and incorporates a water-blocking gel.

The loose tubes safeguard the fibers while facilitating straightforward installation and maintenance. The water-blocking gel enhances the cable's resistance to moisture, making it fit for deployment in challenging environmental conditions.

Additionally, the GYFTA53 cable is equipped with a corrugated steel tape armor that provides substantial physical protection against potential threats such as rodent damage, moisture, and other external hazards.


This feature makes it ideal for environments where the cable may be exposed to damage. Available in various fiber counts to accommodate different needs, the GYFTA53 cable can be customized with various sheath materials to suit specific environmental demands, including UV resistance and fire retardancy.

In summary, the GYFTA53 cable is a dependable and durable option for long-distance, high-capacity fiber optic networks, offering exceptional performance and protection in outdoor settings.



Details Images






Product Paramenters

Fib er cou nt	Struct ure	Fibers per tube	Loose tube diameter(mm)	CSM diameter /pad diameter (mm)	Thickness of inner jacket (mm)	Thickness of outer jacket (mm)	Cable diameter (mm)	Cable Weight(kg/ km)
4	1+6	4	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
6	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
8	1+6	4	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
12	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
18	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	165
24	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	165
30	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	166
36	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	166
48	1+6	12	2.0+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	13.8 ± 0.5	191
60	1+6	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	13.8 ± 0.5	191
72	1+6	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	13.8 ± 0.5	192
84	1+7	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	14.7 ± 0.5	218
96	1+8	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	15.4 ± 0.5	234
108	1+9	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	16.1 ± 0.5	253
120	1+10	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	16.8 ± 0.5	272
132	1+11	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	17.4 ± 0.5	293
144	1+12	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	18.2 ± 0.5	317
288	1+9+1 5	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	20.1 ± 0.5	383

295 kg/km

Factory Details



HOT-SALE PRODUCT






OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM















120+







12

90+

.....

≤ 2h

99%

FAQ

Why Choose Us?

1.Manufacturer Information

We are a manufacturer based in Guangzhou, China, established in 2011, and we focus on the domestic market (100.00%). Our factory employs approximately 11-50 people.

2.Quality Assurance

Pre-Production Sample: We provide a sample for approval before commencing mass production.

Final Inspection: We conduct a thorough inspection before shipping to ensure quality.

International Shipping: Yes, we can ship products to your country. If you do not have a shipping

forwarder, we can assist with this as well.

OEM Services

We accept all OEM orders. Simply contact us with your design, and we will offer a competitive price and create samples for you.

Services We Offer

Delivery Terms: FOB, CIF, EXW

Accepted Payment Currencies: USD, EUR, JPY, CAD, AUD, HKD, GBP, CNY, CHF Accepted Payment Methods: T/T, L/C, D/P, D/A, PayPal, Western Union, Escrow

Languages Spoken: English, Chinese

guangzhou fiber cablepuls co ltd



+8613687956390



cotton@fibercablepuls.com



fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China