





Underground Directly Burial Fiber Optic Cable Double Sheath GYTA53 4 16 24 Cores

Basic Information

. Place of Origin: **GUANGZHOU/CHINA** Brand Name: PUNAISGD/CABLEPULS

ISO/CE/ROSH · Certification: Model Number: GYTA53 • Minimum Order Quantity: 2km • Price: negotiable

· Packaging Details: Wooden Spool /drum

• Delivery Time: 5-25days

Payment Terms: 30%TT as deposit,70%Balance before

shipping.

. Supply Ability: 100km



Product Specification

Jacket Material: Polyvinyl Chloride (PVC)/High-Density

Polyethylene (HDPE)

Underground Installation Application:

Installation Method: Direct Burial

. Cable Type: Single Core/Multi-core

Steel/Aluminum Armor: • Temperature Rating: -40°C To 90°C

· Highlight: Directly Burial Fiber Optic Cable, Double Sheath Fiber Optic Cable,

Direct Burial Cable 24 Cores



More Images





Double Sheath GYTA53 4 16 24 Cores Underground Directly Burial Fiber Optic Cable

Product descriptions from the supplier



GYTA53 is an outdoor use optical fiber cable suitable for duct and aerial applications.
GYTA53 cable is a type of outdoor, armoured fiber optic cable designed for long-distance, high-capacity communication networks. It is commonly used in both aerial and underground installations.
The cable features a central tube design with stranded loose tubes and water-blocking gel.
The loose tubes provide protection to the fibers and allow for easy installation and maintenance.
The gel provides water resistance, making the cable suitable for deployment in harsh environmental conditions.

GYTA53 cable also features a corrugated steel tape armor, providing physical protection against rodent bites, moisture, and other external threats.

This makes it ideal for use in areas where the cable is exposed to potential damage.

The cable is available in various fiber counts to meet different capacity requirements, and it can be customized with different sheath materials for specific environmental conditions, such as UV resistance or fire retardancy.

Overall, GYTA53 cable is a reliable and durable solution for long-distance, high-capacity fiber optic communication networks, offering excellent performance and protection in demanding outdoor environments.




Product Paraments

Fiber coun t	ctur	Fibers per tube	Loose tube diameter(mm)	CSM diameter /pad diameter (mm)	of inner	Thickness of outer jacket (mm)	Cable diameter (mm)	Cable Weight(k g/km)
4	1+6	4	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
6	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
8	1+6	4	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
12	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
18	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	165
24	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	165
30	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	166
36	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	166
48	1+6	12	2.0+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	13.8 ± 0.5	191
60	1+6	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	13.8 ± 0.5	191
72	1+6	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	13.8 ± 0.5	192
84	1+7	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	14.7 ± 0.5	218
96	1+8	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	15.4 ± 0.5	234
108	1+9	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	16.1 ± 0.5	253
120	1+1 0	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	16.8 ± 0.5	272
132	1+1 1	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	17.4 ± 0.5	293
144	1+1 2	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	18.2 ± 0.5	317
288	1+9 +15	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	20.1 ± 0.5	383

Product descriptions from the supplie







OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM





HOT-SALE PRODUCT



FAQ

Why Choose Us?

We are a manufacturer based in Guangzhou, China, established in 2011, focusing on the domestic market (100.00%). Our factory has a workforce of approximately 11-50 people.

How Can We Ensure Quality?

Pre-Production Sample: We provide a sample before starting mass production for approval.

Final Inspection: We carry out a comprehensive inspection before shipment.

Can You Ship Products to My Country?

Yes, we can. If you do not have a shipping forwarder, we can assist with this.

Can You Provide OEM Services?

We accept all OEM orders. Just contact us with your design, and we will offer a reasonable price and produce samples for you.

What Services Do We Offer?

Accepted Delivery Terms: FOB, CIF, EXW

Accepted Payment Currencies: USD, EUR, JPY, CAD, AUD, HKD, GBP, CNY, CHF Accepted Payment Methods: T/T, L/C, D/P, D/A, PayPal, Western Union, Escrow

Languages Spoken: English, Chinese



guangzhou fiber cablepuls co ltd



+8613687956390



cotton@fibercablepuls.com



fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China