## Singlemode Fiber Optic Cable GYXTW 2 4 6 8 Cores Steel wire Armoured cable

### **Basic Information**

. Place of Origin: **GUANGZHOU/CHINA** . Brand Name: PUNAISGD/CABLEPULS

ISO/CE/ROSH · Certification: **GYXTW** Model Number: • Minimum Order Quantity: 2km • Price: negotiate

Wooden Spool /drum · Packaging Details:

• Delivery Time: 5-25 days

Payment Terms: 30% TT as deposit, 70% Balance before

shipping

. Supply Ability: 100km



## **Product Specification**

Armour Material: Corrugated Steel Tape Armoured


· Core: 2~24 Core • Fiber Mode: Single Mode • Strength Member Material: Steel Wire

• Single Armour Material: Corrugated Aluminium Tape

• Outer Jacket Materail:

. Highlight: armoured fiber drop cable,

armoured fiber optic cable, 8 cores fiber drop cable





## More Images




# **Product Description**



Armored Uni-Tube Single Jacket/Single Armor fiber optic cable with fibers placed in loose buffer tube. The cable core is protected with a corrugated steel tape armor and cover with a black polyethylene outjacket. Two embedded steel wire provide desire tension.

## **Product Construction**



### **Product Construction**

### Fiber:

2-24 fibers

Uni-loose tube gel-filled

Armor

Corrugated steel tape

Strength Member:

Embedded steel wire

OuterJacket:

Black UV-and moisture-resistant polyethylene (PE).

### **Features**


Uni-tube gel-filled construction for superior fiber protection. CST armorto protect cable from rodentattack and mechanical damage. Embedded steel wire provide desirable tensile strength and crush resistance. Compact, easy to install. UV and moisture-resistantdesign

## **Product Paramenters**

Fib	Str	Fiber	Loose	CSM	Nominal	Cable	Cableweig
er		s per	tube	diameter/pad	Thickness of	diameter	ht
		tube	diameter(	diameter	outer jacket	/ Height	(kg/km)
nt	uic	labe	mm)	(mm)	(mnm)	(m)	(Rg/RIII)
2	1	2	1.7±0.1	1.0/1.0	1.6	8.0±0.2	57
4	1	4	1.85±0.1	1.0/1.0	1.6	8.0±0.2	58
6	1	6	1.9±0.1	1.0/1.0	1.6	8.0±0.2	58
8	1	8	2.0±0.1	1.0/1.0	1.6	8.0±0.2	60
12	1	12	2.2±0.1	1.0/1.0	1.6	8.0±0.2	60

## **Company Profile**







### **OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM**






## **HOT-SALE PRODUCT**















And More.....



















SHIPMENT

**PACKAGING** 

TRUCK LOADING

**GOODS RECEIPT** 

### **FAQ**

#### 1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market (100.00%). There are total about 11-50 people in our factory.

#### 2. how can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment;

### 3.Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

### 4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design.we will offer you a reasonable price and make samples for you.

### 5. what services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW

Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF;

Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow;

Language Spoken: English, Chinese



+8613687956390

cotton@fibercablepuls.com

fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China