




GYXTW RVV 12 Core Hybrid Optical Fiber Cable with Steel Tape Armored

Our Product Introduction

for more products please visit us on fiberoptical-cables.com

Basic Information

- Place of Origin: GUANGZHOU/CHINA
- Brand Name: PUNAISGD/CABLEPULS
- Certification: ISO/CE/ROSH
- Model Number: GYXTW 12b1.3 +RVV
- Minimum Order Quantity: 2km
- Price: negotiate
- Packaging Details: Wooden Spool /drum
- Delivery Time: 5-25days
- Payment Terms: 30%TT as deposit,70%Balance before shipping.
- Supply Ability: 100km




Product Specification

- ITEM NO.: GYTXW 12B1.3 +RVV
- Fiber Type: G.652D
- Cooper Wire: 2.5mm² /1.5 Mm²/1mm²
- Jacket Color: Black
- Jacket Material: PE
- Storage Temperature: -40 To +70
- Armored Type: Steel Tape
- Strength Member: Steel Wire
- Highlight: Hybrid Optical Fiber Cable GYXTW,
Hybrid Optical Fiber Cable RVV,
Photoelectric Hybrid Optical Fiber Cable



More Images



Product Description


Hybrid Optical Fiber Cable GYXTW RVV 12 Core 12 * 1mm*2 1.5mm*2 Photoelectric



Product Attributes

Attribute	Value
ITEM NO.	GYTXW 12B1.3 +RVV
Fiber Type	G.652D
Cooper wire	2.5mm ² /1.5 mm ² /1mm ²
Jacket Color	Black
Jacket Material	PE
Storage Temperature	-40 to +70
Armored Type	Steel Tape
Strength Member	Steel Wire


Product Description

Composite Hybrid Optical Fiber Cable GYXTW RVV 12 Core Fiber Optic Cable with integrated power conductors (12 * 1mm*2 1.5mm*2 Photoelectric).





Hybrid Cable Order Information



Product Parameters

Cooper	RVV2*2.5MM	RVV-4*2.5mm	RVV-6*2.5mm	RVV-8*2.5mm
Weight	347	382	502	628

Fiber Count	Structure	Fibers per Tube	Loose Tube Diameter	Conductor Cross Sectional Area	Cable Diameter	Cable Weight
2-18	1	2-18	1.8±0.1	1	9.4	92
20-24	1	20-24	1.9±0.1	1	10.4	106
2-18	1	2-18	1.8±0.1	1.5	10.8	119
20-24	1	20-24	1.8±0.1	1.5	11.3	127

Item	Unit	Specification	
Fiber Type		G652D	
Mode Field Diameter	1310nm 1550nm	μm μm	9.2±0.4 10.4±0.8
Cladding Diameter	μm	125.0±0.1	
Cladding Non-Circularity	%	≤1.0	
Core/Cladding Concentricity Error	μm	≤0.5	
Coating Diameter	μm	245±7	
Coating/Cladding Concentricity Error	μm	≤12	
Cable Cut-off Wavelength	μm	≤1260	
Attenuation Coefficient	1310nm 1550nm	db/km db/km	≤0.36 ≤0.22
Proof Stress Level	kpsi	≥100	

Note: Other parameters meet standard ITU-T G.652


Cable Marking & Fiber Colors

COMPANY Fiber cable name N*cores G.652D 2024 XXXXm


*The marking is printed every 1 meter

***"G.652D" means ITU-T Rec. Low Water Peak (LWP) G.652 single mode optical fiber.

Custom cable marking available according to client requirements.



Production Supplier Profile



COMPANY PROFILE



ABOUT FIBER

[Guangzhou fiber cablepuls co.,ltd](#)


Fiber cablepuls is one of the high-tech fiber optic cable factories in China that can produce the most complete series of fiber optic cables, equipped with the most advanced fiber optic cable manufacturing, and have the most advanced fiber optic connector production and testing equipment in China.

The factory has obtained SGS ISO9001-2015, ISO14001-2004 and GB/T28001-2001 successively obtained international system certification.

Over the past 12 years, we have provided optical cable products and comprehensive solutions to more than 90 countries and regions around the world, and have received unanimous praise from customers, such as foreign telecom departments of the United States, Mexico Telecom, Thailand Telecom, Philippines Telecom, etc.; domestic customers include: China Mobile, the General Administration of Radio, Film and Television, Lenovo, and many other large national enterprises.



OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM



▲ Color Coating

▲ Color Fiber Testing

▲ Fiber to Loose Tube

▲ Stranded Loose Tube

▲ PE Sheath Coated

▲ Finished Cable Testing

How to Place an OEM or Customized Order

Send your purchase intention to our email: cotton@fibercablepuls.com

Our sales team will contact you to confirm product specifications, packaging, printing, quantity, and other requirements

Sign the contract or Proforma Invoice

After receiving your deposit, we will arrange production

2 weeks before production completion, we will notify you to arrange shipping



guangzhou fiber cablepuls co ltd



+8613687956390



cotton@fibercablepuls.com



fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan International Guangzhou city, Guangdong province, China