



guangzhou fiber cablepuls co ltd
fiberoptical-cables.com




Hybrid Optical Fiber Cable GYXTW RVV 12 Core 12 * 1mm² 1.5mm² Photoelectric

Our Product Introduction

for more products please visit us on fiberoptical-cables.com

Basic Information

- Place of Origin: GUANGZHOU/CHINA
- Brand Name: PUNAISGD/CABLEPULS
- Certification: ISO/CE/ROSH
- Model Number: GYXTW 12b1.3 +RVV
- Minimum Order Quantity: 2km
- Price: negotiate
- Packaging Details: Wooden Spool /drum
- Delivery Time: 5-25days
- Payment Terms: 30%TT as deposit,70%Balance before shipping.
- Supply Ability: 100km




Product Specification

- ITEM NO.: GYTXW 12B1.3 +RVV
- Fiber Type: G.652D
- Cooper Wire: 2.5mm² /1.5 Mm²/1mm²
- Jacket Color: Black
- Jacket Material: PE
- Storage Temperature: -40°C To +70°C
- Armored Type: Steel Tape
- Strength Member: Steel Wire
- Highlight: Hybrid Optical Fiber Cable GYXTW,
Hybrid Optical Fiber Cable RVV,
Photoelectric Hybrid Optical Fiber Cable





More Images




Product Description

Composite Hybrid Optical Fiber Cable GYXTW RVV 12 Core Fiber Optic Cable 12 * 1mm² 1.5mm² Photoelectric With Power

Our Product Introduction



HYBIRD Cable Place Order Information



Product Parameters


Item	RVV2*2.5MM	RVV-4*2.5mm	RVV-6*2.5mm	RVV-8*2.5mm
cooper				
weight	347	382	502	628

fiber count	structure	fibers per tube	loose tube diameter	CONDUCTOR CORSS SECTIONAL AREA	cable diameter	cable weight
2-18	1	2-18	1.8±0.1	1	9.4	92
20-24	1	20-24	1.9±0.1	1	10.4	106
2-18	1	2-18	1.8±0.1	1.5	10.8	119
20-24	1	20-24	1.8±0.1	1.5	11.3	127
Item			Unit	Specification		
Fier Tyoe			G652D	G652D		
Mode filed Diameter			1310nm	μm	9.2±0.4	
			1550nm	μm	10.4±0.8	
Cladding diameter				μm	125.0±0.1	
Cladding non-circularity				%	≤1.0	
Core/cladding concentricity error				μm	≤0.5	
Coating diameter				μm	245±7	
Coating/cladding concentricity error				μm	≤12	
Cable cut-off wavelength				μm	≤1260	
Attenuation Coefficient			1310nm	db/km	≤0.36	
			1550nm	db/km	≤0.22	
Proof stress level				kpsi	≥100	
Note: Other parameters meet standard ITU-T G.652						


Cable Marking&Fibers Colors

COMPANY Fiber cable name N*cores G.652D 2024 XXXXm
*The marking is printed every 1 meter;
**"G.652D" means ITU-T Rec. Low Water Peak (LWP) G.652 single mode optical fiber..

Also can according to client cable marking.



Production Supplier Profile



COMPANY PROFILE



ABOUT FIBER
Guangzhou fiber cablepuls co ,ltd

Fiber cablepuls is one of the high-tech fiber optic cable factories in China that can produce the most complete series of fiber optic cables, equipped with the most advanced fiber optic cable manufacturing, and have the most advanced fiber optic connector production and testing equipment in China.

The factory has obtained ISO 90001:2015, ISO14001:2004 and GB/T28001:2001 successively obtained international system certification.

Over the past 12 years, we have provided optical cable products and comprehensive solutions to more than 50 countries and regions around the world, and have received unanimous praise from customers, such as foreign telecom departments of the United States, Mexico Telecom, Thailand Telecom, Philippines Telecom, etc.; domestic customers include China Mobile, the General Administration of Radio, Film and Television, Lenovo, and many other large national enterprises.



**guangzhou
fiber
cablepuls
co ltd**



+8613687956390 cotton@fibercabl



OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM



How do I place an OEM or customized order?

- 1) Send your purchase intention to our email: cotton@fibercablepuls.com
- 2) Our sales team will contact you to confirm the product specification, packaging, printing, quantity, and other specific information.
- 3) Sign the contract or Proforma Invoice.
- 4) After receiving your deposit, we will start to arrange the production.
- 5) 2 weeks before the completion of production, we will notify you to start contacting shipping.

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan International/Guangzhou city,Guangdong province,China