# Indoor FTTH Drop Cable G657A2 2 Core LSZH Sheath White

### **Basic Information**

. Place of Origin: **GUANGZHOU/CHINA** 

. Brand Name: **CABLEPULS** ISO/CE/ROSH · Certification: FTTH DROP CABLE Model Number:

• Minimum Order Quantity: 2km • Price: negotiate


Wooden Spool /drum · Packaging Details:

• Delivery Time: 5-25days

Payment Terms: 30%TT as deposit,70%Balance before

shipping.

100km • Supply Ability:



# **Product Specification**

Model: FTTH DROP CABLE · Cable Model: GJXH/GYFXH • Outer Sheath Color: Black/WHITE • Cable Length: Customized

HDPE, MDPE, LSZH,PE Jacket:

• Installation Style: Indoor Messenger Wire: Steel/FRP

. Highlight: Indoor FTTH Drop Cable,

FTTH Drop Cable G657A2, LSZH Sheath FTTH Drop Cable




# More Images




#### Indoor FTTH Drop Cable G657A2 2 Core 1 Core White Color LSZH Sheath

#### **Product Overview**

The FTTH drop cables feature a flame retardant cable jacket with supporting wire and internal strengthening members. Designed for easy fiber extraction, these cables are ideal for direct installation in homes and offices.







### **Product Specifications**

Attribute	Value
Model	FTTH DROP CABLE
Cable Model	GJXH/GYFXH
Outer Sheath Color	Black/WHITE
Cable Length	Customized
Jacket	HDPE, MDPE, LSZH, PE
Installation Style	Indoor
Messenger Wire	Steel/FRP

# **Technical Specifications**


Product	Ftth-GJFXH
Fiber type	SM G652D
Diameter	2X3mm
Strength member	FRP
Outer sheath color	White
Outer sheath	LSZH
Crush resistance	1100N/100mm
Work life	25-30 years

### **Detailed Technical Parameters**

Parameter	Unit	Specification (G.652D)
Mode Field Diameter (1310nm)	μm	9.2±0.4
Mode Field Diameter (1550nm)	μm	10.4±0.8

Cladding Diameter	μm	125.0±1.0
Attenuation (1310nm)	dB/km	≤0.35
Attenuation (1550nm)	dB/km	≤0.21
Dispersion (1550nm)	ps/(nm.km)	≤18







#### **Ordering Information**

### How to place an OEM or customized order:

Send your purchase intention to our email:cotton@fibercablepuls.com

Our sales team will contact you to confirm product specifications, packaging, and quantity

Sign the contract or Proforma Invoice

After receiving your deposit, we will arrange production

We will notify you 2 weeks before production completion to arrange shipping





+8613687956390



cotton@fibercablepuls.com



e fiberoptical-cables.com