

# Aramid Yarn ADSS Fiber Optic Cable 48 Cores Aerial Cable With Non Metallic

### **Basic Information**

. Place of Origin: **GUANGZHOU/CHINA** . Brand Name: PUNAISGD/CABLEPULS

ISO/CE/ROSH · Certification:

**ADSS** Model Number: • Minimum Order Quantity: 2km • Price: negotiate

Wooden Spool /drum · Packaging Details:

• Delivery Time: 5-25 days

Payment Terms: 30% TT as deposit, 70% Balance before

shipping

100km • Supply Ability:



## **Product Specification**

• Type: **ADSS Optical Cable** 

Jacket: Double Jacket/ Single Jacket

Model: **ADSS** FRP • Strength Member: • Fiber Counts: 1-144cores Black · Colour:

• Highlight: ADSS Fiber Optic Cable 48 Cores,

Aramid Yarn Aerial Cable,

Non Metallic ADSS Fiber Optic Cable




## More Images



#### **Product Description**

ADSS Fibra Optica 48 Cores Aramid Kevlar Yarn Aerial Cable With Non-Metallic

### **Products Description**



All-Dielectric Self-Supporting (ADSS) cables are fiber-optic cables that can be installed without the need for a separate messenger wire or support system. This cable features a central conduit or conduits that contain the optical fibers, which are then covered by aramid fiber layers and an outer protective sheath. The fully dielectric nature of the ADSS cable makes it appropriate for installation in areas with significant electrical interference, such as near power lines. ADSS cables are often used for long-distance, high-voltage applications, such as over power lines, railways, highways, and rivers. The self-supporting nature of ADSS cables makes the installation process easier and more cost-effective compared to traditional fiber-optic cables, as it eliminates the need for additional support structures. Also, the use of ADSS cables can reduce the visual impact of overhead fiber-optic installations. In conclusion, ADSS cables are a versatile, efficient, and durable solution for fiber-optic communications in challenging outdoor environments, with a unique design and construction that make them suitable for a wide range of applications, ensuring reliable and high-performance connectivity even in the most demanding conditions.

## **Details Images**



#### **Characteristics:**

1.Strength members composed entirely of dielectric materials reinforce the cable's structure without

metallic components.


- 2.A specialized gel within the tube offers crucial protection for the optical fibers.
- 3. The central strength members crafted from FRP, filled with aramid yarn from Dupont, contribute to the cable's robust construction.
- 4. The cable achieves remarkable attenuation, reflecting its superior AT performance.
- 5.It exhibits stable performance across a spectrum of temperatures and features anti-aging capabilities, lessening the environmental impact on towers from ice and wind.

### **Product Paramenters**

Cable Structure						
NO.OF FIBER (CORES)	6/12/24	48	72	96	144	288
NO.OF FIBER (CORES)	1*6/2*6/4*6	6*8/4*12	6*12	8*12	12*12	24*12
Loose Tube Diameter	2.0±0.1	2.0±0.1	2.0±0.1	2.0±0.1	2.0±0.1	2.0±0.1
FRP central strenghth member(mm)	2.0	2.0	2.5	2.8	3.7	2.6
PE coted diameter	Nº			4.2	4.8	7.4
Tear rope(inner sheath)	2	2	2	2	2	2
Thickness of inner sheath(pe)	1.2	1.2	1.2	1.2	1.2	1.2
Out diameter of inner sheath	10.0	10.0	10.0	10.0	10.0	10.9
Reinforcing layer aramid	Domestic Armid Yarns	Domestic Armid Yarns	Domestic Armid Yarns	Domestic Armid Yarns	Domestic Armid Yarns	Domestic Armid Yarns
MAX.span(m)	50/100/120/150					
Thickness of outer sheath(pe)	1.8	1.8	1.8	1.8	1.8	1.8
Out diameter of Pe sheath	9.5±0.5	10±0.5	12.2±0.5	13.9±0.5	17.1±0.5	20.2±0.5
Climate condition	No ice, 25m/s max wind speed					

## **Factory Profile**







## **OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM**






## **HOT-SALE PRODUCT**















And More....



















SHIPMENT

**PACKAGING** 

TRUCK LOADING

**GOODS RECEIPT** 

### **FAQ**

1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market (100.00%). There are total about 11-50 people in our factory.

2. how can we guarantee quality?

Always a pre-production sample before mass production;

Always final Inspection before shipment;

3.Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design.we will offer you a reasonable price and make samples for you.

5. what services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW

Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF;

Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow;

Language Spoken: English, Chinese



+8613687956390

cotton@fibercablepuls.com

fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China