

PE Jacket ADSS Fiber Optic Cable 6 8 12 Cores 50m Span





• Certification: ISO/CE/ROSH

Model Number: ADSSMinimum Order Quantity: 2kmPrice: negotiate

Packaging Details: Wooden Spool /drum

• Delivery Time: 5-25 days

• Payment Terms: 30% TT as deposit, 70% Balance before

shipping

• Supply Ability: 100km



Product Specification

• Type: ADSS Optical Cable

• Jacket: Double Jacket/ Single Jacket

Model: ADSS
Strength Member: FRP
Fiber Counts: 1-144cores
Colour: Black

Highlight: PE Jacket ADSS Fiber Cable,
 6 Cores ADSS Fiber Optic Cable,

ADSS Fiber Optic Cable 50m



More Images



Our Product Introduction

PE Jacket ADSS Fiber Optic Cable 6 8 12 Cores 50m Span

Product Paramenters

Cable Structure							
NO.OF FIBER (CORES)	6/12/24	48	72	96	144	288	
NO.OF FIBER (CORES)	1*6/2*6/4*6	6*8/4*12	6*12	8*12	12*12	24*12	
Loose Tube Diameter	2.0±0.1	2.0±0.1	2.0±0.1	2.0±0.1	2.0±0.1	2.0±0.1	
FRP central strenghth member(mm)	2.0	2.0	2.5	2.8	3.7	2.6	
PE coted diameter	Nº			4.2	4.8	7.4	
Tear rope(inner sheath)	2	2	2	2	2	2	
Thickness of inner sheath(pe)	1.2	1.2	1.2	1.2	1.2	1.2	
Out diameter of inner sheath	10.0	10.0	10.0	10.0	10.0	10.9	
Reinforcing layer aramid	Domestic Armid Yarns	Domestic Armid Yarns	Domestic Armid Yarns	Domestic Armid Yarns	Domest ic Armid Yarns	Domestic Armid Yarns	
MAX.span(m)	50/100/120/150						
Thickness of outer sheath(pe)	1.8	1.8	1.8	1.8	1.8	1.8	
Out diameter of Pe sheath	9.5±0.5	10±0.5	12.2±0.5	13.9±0.5	17.1±0. 5	20.2±0.5	
Climate condition	limate condition No ice, 25m/s max wind speed						




Details Images



Characteristics:

- 1.Strength members composed entirely of dielectric materials reinforce the cable's structure without metallic components.
- $2.\mbox{A}$ specialized gel within the tube offers crucial protection for the optical fibers.
- 3.The central strength members crafted from FRP, filled with aramid yarn from Dupont, contribute to the cable's robust construction.
- 4. The cable achieves remarkable attenuation
- 5.It exhibits stable performance across a spectrum of temperatures and features anti-aging capabilities, lessening the environmental impact on towers from ice and wind.

Factory Profile











FAQ

1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market (100.00%). There are total about 11-50 people in our factory.

2. how can we guarantee quality?

Always a pre-production sample before mass production;

Always final Inspection before shipment;

3.Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design.we will offer you a reasonable price and make samples for you.

5. what services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW

Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF;

Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow;

Language Spoken:English,Chinese



+8613687956390

cotton@fibercablepuls.com

fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China