

Double PE Sheath ADSS Fiber Cable Aerial Cable 2-144 Core G652D

Basic Information

. Place of Origin: **GUANGZHOU/CHINA** . Brand Name: PUNAISGD/CABLEPULS

ISO/CE/ROSH · Certification:

ADSS Model Number: • Minimum Order Quantity: 2km • Price: negotiate

Wooden Spool /drum Packaging Details:

• Delivery Time: 5-25 days

Payment Terms: 30% TT as deposit, 70% Balance before

shipping

100km • Supply Ability:



Product Specification

• Type: All Dielectirc

• Strength Member: FRP

Non-Metallic . Central Strength:

Material Jacket: Black Polyethylene (PE)

. Installation:

• Custom: **Customized Available**

• Fiber Options: G652D

. Highlight: G652D ADSS Fiber Cable,

Double PE Sheath ADSS Fiber Cable, **Double PE Sheath Aerial Cable**



More Images



Our Product Introduction

ADSS Optical Fiber Cable All Dielectric Single/Double Jacket Outdoor Aerial Cable

Products Description



The All-Dielectric Self-Supporting (ADSS) fiber-optic cables eliminate the requirement for an additional messenger wire or support system for their installation. They incorporate a central conduit or several conduits to house the optical fibers, followed by a covering of aramid fiber layers and an outer protective sheath. Due to their fully dielectric properties, ADSS cables are ideal for installation in areas with substantial electrical interference, such as in proximity to power lines. Commonly deployed for long-distance, high-voltage applications like those over power lines, railways, highways, and rivers, ADSS cables' self-supporting attribute facilitates a more straightforward and cost-effective installation process than traditional fiber-optic cables, by negating the need for supplementary support structures. Furthermore, the use of ADSS cables can diminish the visual impact of overhead fiber-optic installations. In summary, ADSS cables represent a multifaceted, efficient, and durable solution for fiber-optic communications in demanding outdoor environments, with a unique design and construction that make them fit for an extensive range of applications, guaranteeing reliable and high-performance connectivity even in the most challenging scenarios.

Details Images



Characteristics:


- 1.Metal-free dielectric strength members enhance the cable's structural robustness.
- 2. The tube's exclusive gel delivers fiber protection.
 3. Central FRP members, complemented by Dupont's aramid yarn filling, ensure the cable's structural strength.
- 4. The cable shows outstanding attenuation, denoting excellent AT performance.
- 5.It upholds stable performance in diverse temperature conditions and has anti-aging properties, decreasing the burden on towers from natural elements such as ice and wind

Product Paramenters

Cable Structure						
NO.OF FIBER (CORES)	6/12/24	48	72	96	144	288
NO.OF FIBER (CORES)	1*6/2*6/4*6	6*8/4*12	6*12	8*12	12*12	24*12
Loose Tube Diameter	2.0±0.1	2.0±0.1	2.0±0.1	2.0±0.1	2.0±0.1	2.0±0.1
FRP central strenghth member(mm)	2.0	2.0	2.5	2.8	3.7	2.6
PE coted diameter	Nº			4.2	4.8	7.4
Tear rope(inner sheath)	2	2	2	2	2	2
Thickness of inner sheath(pe)	1.2	1.2	1.2	1.2	1.2	1.2
Out diameter of inner sheath	10.0	10.0	10.0	10.0	10.0	10.9
Reinforcing layer aramid	Domestic Armid Yarns	Domestic Armid Yarns	Domestic Armid Yarns	Domestic Armid Yarns	Domestic Armid Yarns	Domestic Armid Yarns
MAX.span(m)	50/100/120/150					
Thickness of outer sheath(pe)	1.8	1.8	1.8	1.8	1.8	1.8
Out diameter of Pe sheath	9.5±0.5	10±0.5	12.2±0.5	13.9±0.5	17.1±0.5	20.2±0.5
Climate condition	No ice, 25m/s max wind speed					

Factory Profile













OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM





HOT-SALE PRODUCT

























SHIPMENT

PACKAGING

TRUCK LOADING

GOODS RECEIPT

FAQ

1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market (100.00%). There are total about 11-50 people in our factory.

2. how can we guarantee quality?

Always a pre-production sample before mass production;

Always final Inspection before shipment;

3.Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design.we will offer you a reasonable price and make samples for you.

5. what services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW

Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF;

Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow;

Language Spoken: English, Chinese



+8613687956390

cotton@fibercablepuls.com

fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China