




## Outdoor Fiber Optic Cable GYFXY 12 Cores Single Mode Overhead Un-armoed Cable

Our Product Introduction

for more products please visit us on [fiberoptical-cables.com](http://fiberoptical-cables.com)


### Basic Information

- Place of Origin: GUANGZHOU/CHINA
- Brand Name: PUNAI SGD/CABLEPULS
- Certification: ISO/CE/ROSH
- Model Number: GYFXTY-12b1.3
- Minimum Order Quantity: 2km
- Price: negotiable
- Packaging Details: Wooden Spool /drum
- Delivery Time: 5-25days
- Payment Terms: 30%TT as deposit,70%Balance before shipping.
- Supply Ability: 100km




### Product Specification

- Item No: GYFXTY-12B1.3
- Structure: Central Tube
- Strength Member: FRP\*0.7mm 2pcs
- Aarmor: Unarmored
- Outer Jacket Material: PE(Black)
- OD: 7MM
- Lift Time: More Than 20 Years
- Highlight: 12 cores duct fiber optic cable,  
12 cores outdoor fiber optic cable,  
frp duct fiber optic cable



### More Images



### Product Description

#### Outdoor Fiber Optic Cable GYFXTY 8 Cores Single Mode Overhead Cable

##### Product Details

The fibers,250µm,are positioned in a loose tube which made of a high modulus plastic. Tube are filled with water-resistant filling compound, Two parallel Fiber Reinforced Plastics(FRP)are embedded in the outer black PE jacket

##### Characteristics

- 1.Good mechanical and temperature performance.
- 2.High strength loose tube that hydrolysis resistant.
- 3.Special tube filling compound ensure a critical protection of fiber itself.
- 4.Two parallel FRP ensure tensile strength.
- 5.Small diameter,light weight and friendly installation.
- 6.Non-armored,Uni tube structure is cost-effective for multi purpose

##### Features:

Fiber  
2-24 fibers G652D/G657A1/G657A2  
Uni- loose tube with gel filled



Our Product Introduction

Armor  
Non-metal armored

Strength Member:  
Embedded two parallel FRP

Outer jacket:  
Black UV-and moisture-resistant polyethylene (PE)

Applications  
Installed: pipeline/direct burial /aerial




Cable Data

Cable Type	Fiber Count	Cable Diameter (mm)	Cable Weight (kg/km)	Tensile Strength long/short term (N)	Crush Resistance long/short term (N)	Bending Radius Static/Dynamic (mm)
GYFY	2-12	5.5/6.0	55	600/1500	300/1000	10D/20D
GYFY	2-12	6.5/7.0	60	600/1500	300/1000	10D/20D



## Production Supplier Profile



**COMPANY PROFILE**

### ABOUT FIBER

Guangzhou fiber cablepuls co.,ltd

Fiber cablepuls is one of the high-tech fiber optic cable factories in China that can produce the most complete series of fiber optic cables, equipped with the most advanced fiber optic cable manufacturing, and have the most advanced fiber optic connector production and testing equipment in China.

The factory has obtained ISO 9001:2015, ISO 14001:2004 and GB/T28001:2001 successively obtained international system certification.

Over the past 12 years, we have provided optical cable products and comprehensive solutions to more than 50 countries and regions around the world, and have received unanimous praise from customers, such as foreign telecom departments of the United States, Mexico Telecom, Thailand Telecom, Philippines Telecom, etc.; domestic customers include China Mobile, the General Administration of Radio, Film and Television, Lenovo, and many other large national enterprises.



+8613687956390

cotton@fibercabl



## OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM



### How do I place an OEM or customized order?

- 1) Send your purchase intention to our email: [cotton@fibercablepuls.com](mailto:cotton@fibercablepuls.com)
- 2) Our sales team will contact you to confirm the product specification, packaging, printing, quantity, and other specific information.
- 3) Sign the contract or Proforma Invoice.
- 4) After receiving your deposit, we will start to arrange the production.

5) 2 weeks before the completion of production, we will notify you to start contacting shipping.

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong  
province,China