# **GYFXTY G652D Single-Mode Aerial Fiber Optic Cable 2-12** Core

### **Basic Information**

. Place of Origin: **GUANGZHOU/CHINA** . Brand Name: PUNAISGD/CABLEPULS

ISO/CE/ROSH · Certification: Model Number: **GYFXTY** • Minimum Order Quantity: 2km • Price: negotiate

 Packaging Details: Wooden Spool /drum

• Delivery Time: 5-25 days

Payment Terms: 30% TT as deposit, 70% Balance before

shipping

100km • Supply Ability:



# **Product Specification**

. Transport Package: Wooden Drum Fiber Counts: 2-12 Cores

PΕ . Jacket Material:

OEM ODM . Service: • Fiber Type: Single-mode Jacket Color: Black

• Highlight: g652d duct fiber optic cable,

g652d outdoor fiber optic cable,

frp duct fiber optic cable



# More Images



#### GYFXTY Optical Cable G652D Fiber FRP Strength Member Aerial Optical Cable

#### **Product Specifications**

Attribute	Value
Transport Package	Wooden Drum
Fiber Counts	2-12 cores
Jacket Material	PE
Service	OEM ODM
Fiber Type	Single-mode
Jacket Color	Black

#### **Product Description**

**GYFXTY Fiber Cable** - Outdoor drop cables equipped with FRP rods for reinforcement, available in configurations of 2, 4, 6, 8, 12 fibers. Strictly adheres to ITU-T G.652D standards and meets all pertinent IEC standards.


#### **Applications**

Long distance and local area network (LAN) communication

Aerial & conduit/duct applications

Dedicated design with aramid quantity and stranding process to accommodate various spans







# Key Features

Special low-bend-sensitivity fiber ensures high bandwidth and excellent transmission properties

Two parallel steel wire or FRP strength members provide crush resistance

Simple, lightweight, and highly practical structure

Innovative flute design for easy stripping and splicing


Low smoke, halogen-free, flame retardant sheath

#### **Technical Parameters**

Fiber count	Nominal Diameter (mm)	Nominal Weight (kg/km)	Allowable Tensile Load (kg/mm)	Allowable Crush Resistance (N/100mm)	Aerial install span with 1% sag
2~12	6.5	35	1000 (Short Term) 400 (Long Term)	1000 (Short Term) 300 (Long Term)	80m (NESC Light) 50m (NESC Medium) 30m (NESC Heavy)
14-24	7.0	40	1200 (Short Term) 500 (Long Term)	1000 (Short Term) 300 (Long Term)	70m (NESC Light) 40m (NESC Medium) 20m (NESC Heavy)

#### **Our Manufacturing Facility**











### TRANSPORT&PAY



### **Frequently Asked Questions**

#### Why choose us?

We are the manufacturer located in Guangzhou, China, operating since 2011. Our factory employs 11-50 professionals, and we primarily

serve the domestic market.

#### How do we guarantee quality?

We conduct pre-production samples before mass production and perform final inspections before shipment.

#### Can you send products to my country?

Yes, we can. If you don't have your own shipping forwarder, we can assist with logistics.

#### Can you do OEM for me?

We accept all OEM orders. Contact us with your design requirements, and we'll provide a competitive quote and samples.

#### What services do we provide?

Delivery Terms: FOB, CIF, EXW

Payment Currencies: USD, EUR, JPY, CAD, AUD, HKD, GBP, CNY, CHF Payment Methods: T/T, L/C, D/P D/A, PayPal, Western Union, Escrow

Languages: English, Chinese





+8613687956390



cotton@fibercablepuls.com



fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China