

fiber optical cable GYFXTY single mode double PFR strength member hight quality

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- · Packaging Details:
- Delivery Time:
- Payment Terms:

GUANGZHOU/CHINA PUNAISGD/CABLEPULS

- ISO/CE/ROSH GYFXTY

- Supply Ability:



30% TT as deposit, 70% Balance before

5-25 days

shipping 100km



Product Specification

- Transport Package:
- Sheath Material:
- Oem:
- Color:
- Core:
- Function:
- Highlight:
- PE/LZSH Available Customized

Wooden Drum

- 12 Cores Aerial Cable
- 12 cores duct fiber optic cable, 12 cores outdoor fiber optic cable



More Images



GYFXTY Fiber Cable

Cables designed for outdoor drops, with FRP rods as their structural members, are offered in fiber counts ranging from 2 to 12. They are compliant with the ITU-T G.652D standard and adhere fully to the IEC specifications.

APPLICATIONS


· Long distance and local area network(LAN) communication

GIFFIT

· Aerial & conduit/duct application

 \cdot The dedicate design of aramid quantity and stranding process can satisfy the demand on various spans

Product Details



FEATURE · Special low-bend-sensitivity fiber provides high bandwidth and excellent communication transmission property

 \cdot Two parallel steel wire/FRP strength members ensure good performance of crush resistance to protect fiber

 \cdot Simple structure, light weight and high practicability

- Novel flute design, easily strip and splice, simplify the installation and maintenance
- · Low smoke, zero halogen and flame retardant sheath

Product Paramenters

Fiber	Nomina I Diamet er(mm)	Nominal Weight (kg/km)	Allowable Tensile Load (kg/mm)		Allowable Crush Resistance(N/10 0mm)				
			Short Term	Long Term	Short Term	Long Term	NESC Light	NESC Medium	NESC Heavy
2~12	6.5	35	1000	400	1000	300	80meters	50meters	30meter s
14-24	7.0	40	1200	500	1000	300	70meters	40meters	20meter

Learn more about our factory





OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM



Color Fiber Testing

A Stranded Loose Tube

A Finished Cable Testing



HOT-SALE PRODUCT







FAQ

1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market(100.00%). There are total about 11-50 people in our factory.

2. how can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment;

3.Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design.we will offer you a reasonable price and make samples for you.

5. what services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF; Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow; Language Spoken:English,Chinese

guangzhou fiber cablepuls co Itd							
C	+8613687956390	cotton@fibercablepuls.com	e fiberoptical-cables.com				
925-926,	Building B1, No. 2 Chuang	hui Avenue, Yonghe Yushan Inter province,China	nationalGuangzhou city,Guangdong				