

Outdoor fiber optical cable GYFXTY G652D 6mm PE jacket aerial cable 2 4 6 cores

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:

GUANGZHOU/CHINA PUNAISGD/CABLEPULS

- ISO/CE/ROSH

- Supply Ability:
- 2km negotiate Wooden Spool /drum
- 5-25 days

Wooden Drum

Overhead, Pipeline

2-24 Cores

PE/LZSH

FRP

BLACK

GYFXTY

- - 30% TT as deposit, 70% Balance before shipping 100km



Product Specification

- Transport Package:
- Fiber Counts:
- Sheath Material:
- Strength Member:
- Outer Sheath Color:
- . Laying Method:
- Highlight:
- g652d outdoor fiber optic cable, g652d outdoor fiber optical cable, frp outdoor fiber optic cable



GYFXTY Fiber Cable

For outdoor applications, we provide drop cables that incorporate FRP rods for strength and are offered in fiber counts from 2 to 12. These cables strictly follow the ITU-T G.652D standard and are in full compliance with the IEC specifications.

APPLICATIONS

- 1. Designed for both long-distance and local area network communications.
- These cables are suitable for aerial and conduit/duct installations.
 The specialized aramid fiber content and stranding technique are tailored to accommodate
- a range of span requirements.

Our Product Introduction



FEATURE

The special low-bend-sensitivity fiber offers superior bandwidth and communication quality. Two parallel steel wire or FRP strength members enhance crush resistance, safeguarding the fiber. With a simple, lightweight design and high practicality, the novel flute design facilitates easy stripping and splicing, streamlining installation and maintenance.

The sheath is low smoke, halogen-free, and flame retardant.

Product Paramenters

Fiber	Nomina I Diamet er(mm)	Nominal Weight (kg/km)	Allowable Tensile Load (kg/mm)		Allowable Crush Resistance(N/10 0mm)				
			Short Term	Long Term	Short Term	Long Term	NESC Light	NESC Medium	NESC Heavy
2~12	6.5	35	1000	400	1000	300	80meters	50meters	30meter s
14-24	7.0	40	1200	500	1000	300	70meters	40meters	20meter

Learn more about our factory





OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM



Color Fiber Testing

A Stranded Loose Tube

A Finished Cable Testing



HOT-SALE PRODUCT







FAQ

1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market(100.00%). There are total about 11-50 people in our factory.

2. how can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment;

3.Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design.we will offer you a reasonable price and make samples for you.

5. what services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF; Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow; Language Spoken:English,Chinese

guangzhou fiber cablepuls co Itd							
C	+8613687956390	cotton@fibercablepuls.com	e fiberoptical-cables.com				
925-926,	Building B1, No. 2 Chuang	hui Avenue, Yonghe Yushan Inter province,China	nationalGuangzhou city,Guangdong				