### **GYTA Outdoor Fiber Optical Cable 12 24 Cores Armored Duct** Cable

### **Basic Information**

. Place of Origin: **GUANGZHOU/CHINA** . Brand Name: PUNAISGD/CABLEPULS

ISO/CE/ROSH · Certification:

**GYTA** Model Number: • Minimum Order Quantity: 2km • Price: negotiate

Wooden Spool /drum · Packaging Details:

• Delivery Time: 5-25 days

Payment Terms: 30% TT as deposit, 70% Balance before

shipping

• Supply Ability: 100km



### **Product Specification**

**GYTA** Item:

• Outdoor: Outdoor Fiber Optic Cable

G652D OR G652B · Fiber:

PΕ · Jacket Material: · Strength Member: Steel Armored: Aluminum

• Highlight: **GYTA Outdoor Fiber Optical Cable,** 

24 Cores Outdoor Fiber Optical Cable, **Armored Outdoor Fiber Optical Cable** 



### More Images



# **GYTA Outdoor Fiber Optical Cable Armored Cable 12 24 Cores GYTA Cable Duct Use**

### **GYTA Outdoor Fiber Optical Cable**


GYTA Armored Loose Tube Single Jacket/Single Armor fiber optic cables are designed to provide high fiber counts with the flexibility and versatility required for today's most demanding installations, including duct and underground conduit



### Features:

- 1,Low dispersion and attenuation
- 2,Proper design, precise control for fiber excess length and distinct stranding process render the cable excellent mechanical and environmental properties
- 3,The armoring of corrugate steel tape make cable have nice properties of moisture resistance and crush resistance
- 4, With small cable diameter, light cable weight, easily to lay
- 5, Operating Temperature: -40~+60 °C

### Cable structure



### **GYTA Fiber Optic Cable**

- 1. Fiber:
- 2-288 fiber

Multi-loose tube gel-filled

2. Central Strength Member:

Fiberglass reinforced Platic (FRP) or steel wire.

3. Armor:

Aluminum Tape Armor

4. Outer Jacket:

Black UV Polyethylene(PE)

### **Product Paramenters**

Fibe r coun t	Structure	Fibers per tube	Loose tube diameter (mm)	CSM diameter/pa d diameter (mm)	Nominal Thickness of outer jacket (mm)	Cable diameter/ Height (mm)	Cable weight (kg/km)
4	1+5	4	1.8±0.1	1.4/1.4	1.4	9.0±0.3	80
6	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80
8	1+5	8	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80
12	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80
24	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	85
36	1+6	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	100
48	1+5	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	105
60	1+5	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	110
72	1+6	12	2.2±0.1	2.0/2.0	1.6	10.6±0.3	122
96	1+8	12	2.2±0.1	1.6/3.5	1.6	12.0±0.3	160
144	1+12	12	2.2±0.1	2.0/6.4	1.8	15.6±0.3	240
216	1+6+12	12	2.2±0.1	2.2/2.2	1.8	16.0±0.3	270
288	1+9+15	12	2.2±0.1	2.2/4.3	2.0	18.2±0.3	282

### Learn more about our products and factory


















12

90+

120+

≤ 2h

99%





### **OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM**





### **HOT-SALE PRODUCT**





# TRANSPORT&PAY TRANSPORT&PAY Air Freight Land Transportation Shipping Delivery





























SHIPMENT

**PACKAGING** 

TRUCK LOADING

**GOODS RECEIPT** 

### **FAQ**

### 1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market (100.00%). There are total about 11-50 people in our factory.

### 2. how can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment;

### 3.Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

### 4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design.we will offer you a reasonable price and make samples for you.

### 5. what services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW

Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF; Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow;

Language Spoken: English, Chinese

## guangzhou fiber cablepuls co ltd

+8613687956390

cotton@fibercablepuls.com

e fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China