

GYTS fiber optical cable 4-144 core single armoured steel tape duct and aerial

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- · Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:

GUANGZHOU/CHINA

PUNAISGD/CABLEPULS

- ISO/CE/ROSH GYTS 2km negotiate Wooden Spool /drum 5-25 days 30% TT as deposit, 70% Balance before shipping

Product Specification


- Item:
- Strength Member:
- Armoured:
- Fiber Mode:
- Fiber:
- Highlight:

GYTS Steel

100km

- Sheath Material:

- ΡE Steel Tape Multi Mode G652D, G657A1
- armoured duct fiber optic cable, armoured outdoor fiber optic cable, g652d duct fiber optic cable



More Images



Our Product Introduction

GYTS Outdoor Fiber Optical Cable

Products Description



GYTS Armored Loose Tube Single Jacket/Single Armor fiber optic cables are designed to provide high fiber counts with the flexibility and versatility required for today's most demanding installations, including duct and underground conduit

Product Details



Features:

①Excellent mechanical property and temperature performance.
②Loose tube material has good hydrolysis resistance and higher intensity.
③Single steel wire as the central strength member to withstand axial loads.
④PE sheath protects cable from ultraviolet radiation.
⑤Fully cable core filled.

©Corrugated steel tape longitudinally covers cable core and provides good crush resistance.

Cable structure

-Metallic(non-metallic) strength member;

-Loose tube stranded;-corrugated steel tape armored;

-Gel filling;


-Polyethylene sheath outdoor cable for communication purpose;

Product Paramenters

Fiber count	Structure	Fibers per tube	Loose tube diameter (mm)	CSM diameter/pad diameter (mm	Nominal Thickness of outer jacket (mm	Cable diameter/ Height (mm)	Cable weight (kg/km)
4	1+5	4	1.8±0.1	1.4/1.4	1.4	9.0±0.3	80
6	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80
8	1+5	8	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80
12	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80
24	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	85
36	1+6	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	100
48	1+5	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	105
60	1+5	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	110
72	1+6	12	2.2±0.1	2.0/2.0	1.6	10.6±0.3	122
96	1+8	12	2.2±0.1	1.6/3.5	1.6	12.0±0.3	160
144	1+12	12	2.2±0.1	2.0/6.4	1.8	15.6±0.3	240
216	1+6+12	12	2.2±0.1	2.2/2.2	1.8	16.0±0.3	270
288	1+9+15	12	2.2±0.1	2.2/4.3	2.0	18.2±0.3	282

Company Profile







OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM



Color Fiber Testing

A Stranded Loose Tube

Finished Cable Testing



HOT-SALE PRODUCT





FAQ

1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market (100.00%). There are total about 11-50 people in our factory.

2. how can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment;

3.Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design.we will offer you a reasonable price and make samples for you.

5. what services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF; Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow; Language Spoken:English,Chinese

