## **Basic Information**

• Place of Origin: GUANGZHOU/CHINA Brand Name: PUNAISGD/CABLEPULS

 Certification: ISO/CE/ROSH

• Model Number: **GYFTY** Minimum Order Quantity: 2km • Price: negotiate

Packaging Details: Wooden Spool /drum

. Delivery Time: 5-25 days

• Payment Terms: 30% TT as deposit, 70% Balance before

shipping

100km . Supply Ability:



## **Product Specification**

**GYFTY** • Item:

· Jacket Material: PΕ FPR · Strength Member:

Multi Mode Type: · Laying Method: Duct • Fiber: G652D

• Highlight: 12 cores duct fiber optic cable,

12 cores outdoor fiber optic cable, g652d duct fiber optic cable



## More Images



Our Product Introduction


# GYFTY Outdoor Optical Fiber 4-12 Cores GYFTY Communications Cable Non-Armored

## **Product Attributes**

Attribute	Value
Item	GYFTY
Jacket Material	PE
Strength Member	FPR
Туре	Multi Mode
Laying Method	Duct
Fiber	G652D

## **Product Description**





GYFTY cable, or the Loose Tube Non-Metallic Strength Member, is an outdoor cable specifically designed for telecommunication and data transmission applications.

It comprises several loose tubes that are each filled with water-blocking gel to protect the fiber optic strands from moisture and other environmental factors.

The cable is equipped with a non-metallic central strength member and is surrounded by aramid yarn for added protection and flexibility.


The outer sheath is made of high-density polyethylene (HDPE) and provides excellent resistance to UV radiation, chemicals, and physical damage.

GYFTY cables are suitable for aerial, duct, and direct burial installations and are designed to meet the requirements of harsh outdoor

They are available in various fiber counts to accommodate different capacity needs and are compatible with a wide range of splice and termination techniques.

Overall, GYFTY cables offer high performance, durability, and reliability, making them an ideal choice for long-distance and high-bandwidth communication networks.

#### **Cable Structure**





Fiber

Filling Compound

Non-metal member

Loose Tube

Water blocking system


Outer sheath

**Product Parameters** 

Fiber count	Structure	Fibers per tube	Loose tube diameter	CSM diameter	Nominal thickness of outer jacket	Cable diameter	Cable weight
4	1+5	4	1.8±0.1	1.4/1.4	1.6	8.8±0.2	62
6	1+5	6	1.9±0.1	1.4/1.4	1.6	8.8±0.2	62
8	1+5	8	1.9±0.1	1.4/1.4	1.6	8.8±0.2	62
12	1+5	6	1.9±0.1	1.4/1.4	1.6	8.8±0.2	65
24	1+5	6	1.9±0.1	1.4/1.4	1.6	9.2±0.2	68
36	1+6	12	1.9±0.1	1.6/1.6	1.6	9.2±0.2	68
48	1+5	12	2.2±0.1	1.6/1.6	1.6	9.2±0.2	68
72	1+6	12	2.2±0.1	1.6/1.6	1.6	10.6	80
96	1+6	12	2.2±0.1	2.0/2.0	1.6	12.0	103
144	1+12	12	2.2±0.1	2.0/2.0	1.8	15.0	180

## **Our Factory**

















## **OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM**











ose Tube

▲ Finished Cable Testing



# **HOT-SALE PRODUCT**





# **TRANSPORT&PAY** POSTAL SERVICE Land Transportation Air Freight Shipping Delivery And More..... SHIPMENT **GOODS RECEIPT PACKAGING** TRUCK LOADING

### FAQ

## Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market (100.00%). There are total about 11-50 people in our factory.

#### How can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment.

## Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

#### Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design. We will offer you a reasonable price and make samples for you.

## What services can we provide?

Accepted Delivery Terms: FOB, CIF, EXW;

Accepted Payment Currency: USD, EUR, JPY, CAD, AUD, HKD, GBP, CNY, CHF; Accepted Payment Type: T/T, L/C, D/P D/A, PayPal, Western Union, Escrow;

Language Spoken: English, Chinese

# guangzhou fiber cablepuls co ltd

+8613687956390

cotton@fibercablepuls.com

fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China