




GYFTY outdoor optical fiber 4 12 cores GYFTY communications cable non-armored

Our Product Introduction

Basic Information

- Place of Origin: GUANGZHOU/CHINA
- Brand Name: PUNAISGD/CABLEPULS
- Certification: ISO/CE/ROSH
- Model Number: GYFTY
- Minimum Order Quantity: 2km
- Price: negotiate
- Packaging Details: Wooden Spool /drum
- Delivery Time: 5-25 days
- Payment Terms: 30% TT as deposit, 70% Balance before shipping
- Supply Ability: 100km




Product Specification

- Item: GYFTY
- Jacket Material: PE
- Strength Member: FPR
- Type: Multi Mode
- Laying Method: Duct
- Fiber: G652D
- Highlight: 12 cores duct fiber optic cable,
12 cores outdoor fiber optic cable,
g652d duct fiber optic cable



More Images



Product Description

GYFTY OUTDOOR OPTICAL FIBER CABLE

Products Description



GYFTY cable, or the Loose Tube Non-Metallic Strength Member, is an outdoor cable specifically designed for telecommunication and data transmission applications.

It comprises several loose tubes that are each filled with water-blocking gel to protect the fiber optic strands from moisture and other environmental factors.


The cable is equipped with a non-metallic central strength member and is surrounded by aramid yarn for added protection and flexibility.

The outer sheath is made of high-density polyethylene (HDPE) and provides excellent resistance to UV radiation, chemicals, and physical damage.

GYFTY cables are suitable for aerial, duct, and direct burial installations and are designed to meet the requirements of harsh outdoor environments.

They are available in various fiber counts to accommodate different capacity needs and are compatible with a wide range of splice and termination techniques. Overall, GYFTY cables offer high performance, durability, and reliability, making them an ideal choice for long-distance and high-bandwidth communication networks.

Cable structure



1. Fiber
2. Filling Compound
3. Non-metal member
4. Loose Tube
5. Water blocking system
6. Outer sheath

Product Parameters

Fiber count	Structure	Fibers per tube	Loose tube diameter	CSM diameter	Nominal thickness of outer jacket	Cable diameter	Cable weight



OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM



HOT-SALE PRODUCT



CERTIFICATES



TRANSPORT&PAY



Air Freight



Land Transportation



Shipping



Delivery



And More.....



SHIPMENT



PACKAGING



TRUCK LOADING



GOODS RECEIPT

FAQ

1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market (100.00%). There are total about 11-50 people in our factory.

2. how can we guarantee quality?

Always a pre-production sample before mass production;
Always final Inspection before shipment;

3.Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

4. Can you do OEM for me?

We accept all OEM orders,just contact us and give me your design.we will offer you a reasonable price and make samples for you.

5. what services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW

Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF;

Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow;

Language Spoken:English,Chinese





guangzhou fiber cable puls co., ltd



+8613687956390



cotton@fibercablepuls.com



fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong
province,China