GYTA fiber optical cable fiber optical cable single jacket overhead

Basic Information

. Place of Origin: **GUANGZHOU/CHINA** . Brand Name: PUNAISGD/CABLEPULS

ISO/CE/ROSH · Certification:

GYTA Model Number: • Minimum Order Quantity: 2km • Price: negotiate

Wooden Spool /drum Packaging Details:

• Delivery Time: 5-25 days

Payment Terms: 30% TT as deposit, 70% Balance before

shipping

100km • Supply Ability:



Product Specification

GYTA . Item:

• Outdoor: Outdoor Fiber Optic Cable

G652D • Fiber: PΕ · Jacket Material: · Strength Member: Steel Armored: Aluminum

• Highlight: g652d duct fiber optic cable, g652d outdoor fiber optic cable



More Images



GYTA Outdoor Fiber Optical Cable


Designed with a robust armored loose tube and a dual-layered jacket and armor, GYTA fiber optic cables deliver an extensive fiber capacity. They are the epitome of adaptability and flexibility, ideal for the most rigorous installation scenarios of the present era, encompassing both duct and underground conduit applications.



Features

- 1.Designed for reduced dispersion and attenuation, the cables ensure signal integrity over long distances.
- 2.The cables' mechanical and environmental resilience stem from a well-thought-out design, precise fiber
- 3.length control, and a distinctive stranding method.
- 4.The use of corrugated steel tape in the armoring process confers significant moisture and crush resistance to the cables.
- 5.The cables' slender profile and reduced weight contribute to their ease of deployment in various settings.

Cable structure



GYTA Fiber Optic Cable

- 1. Fiber:
- 2-288 fiber

Multi-loose tube gel-filled

2. Central Strength Member:

Fiberglass reinforced Platic (FRP) or steel wire.

3. Armor:

Aluminum Tape Armor

4. Outer Jacket:

Black UV Polyethylene(PE)

Product Paramenters

Fibe r coun t	Structure	Fibers per tube	Loose tube diameter (mm)	CSM diameter/pa d diameter (mm)	Nominal Thickness of outer jacket (mm)	Cable diameter/ Height (mm)	Cable weight (kg/km)
4	1+5	4	1.8±0.1	1.4/1.4	1.4	9.0±0.3	80
6	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80
8	1+5	8	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80

12	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80
24	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	85
36	1+6	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	100
48	1+5	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	105
60	1+5	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	110
72	1+6	12	2.2±0.1	2.0/2.0	1.6	10.6±0.3	122
96	1+8	12	2.2±0.1	1.6/3.5	1.6	12.0±0.3	160
144	1+12	12	2.2±0.1	2.0/6.4	1.8	15.6±0.3	240
216	1+6+12	12	2.2±0.1	2.2/2.2	1.8	16.0±0.3	270
288	1+9+15	12	2.2±0.1	2.2/4.3	2.0	18.2±0.3	282

Learn more about our products and factory


















12

90+

120+

≤ 2h

99%





OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM





HOT-SALE PRODUCT





TRANSPORT&PAY TRANSPORT&PAY Air Freight Land Transportation Shipping Delivery





























SHIPMENT

PACKAGING

TRUCK LOADING

GOODS RECEIPT

FAQ

1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market (100.00%). There are total about 11-50 people in our factory.

2. how can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment;

3.Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design.we will offer you a reasonable price and make samples for you.

5. what services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW

Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF; Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow;

Language Spoken: English, Chinese

guangzhou fiber cablepuls co ltd

+8613687956390

cotton@fibercablepuls.com

e fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China