





GYTA fiber optical cable 12 24 cores aerial or duct use with single aluminum

Basic Information

Place of Origin: GUANGZHOU/CHINABrand Name: PUNAISGD/CABLEPULS

• Certification: ISO/CE/ROSH

Model Number: GYTAMinimum Order Quantity: 2kmPrice: negotiate

Packaging Details: Wooden Spool /drum

• Delivery Time: 5-25 days

• Payment Terms: 30% TT as deposit, 70% Balance before

shipping

• Supply Ability: 100km



Product Specification

• Item: GYTA

Outdoor: Outdoor Fiber Optic CableFiber: G652D OR G652B

Jacket Material: PEStrength Member: SteelArmored: Aluminum

• Highlight: 24 cores duct fiber optic cable,

24 cores outdoor fiber optic cable, g652b duct fiber optic cable



More Images



GYTA Outdoor Fiber Optical Cable


The GYTA series of fiber optic cables, equipped with a single jacket and armor around a loose tube, is engineered to accommodate a significant number of fibers. They exhibit exceptional flexibility and adaptability, making them indispensable for the most exacting installation demands of contemporary times, including those in ducts and buried conduits.



Features:

- 1. The cables feature low levels of dispersion and attenuation, optimizing signal clarity and reliability.
- 2.A carefully considered design, alongside meticulous management of fiber slack and a specialized stranding technique, results in exceptional mechanical and environmental properties.
- 3.Armored with corrugated steel tape, the cables are endowed with excellent moisture and crush resistance capabilities.
- 4.The cables' small diameter and light weight make them straightforward to install, reducing the complexity of the laying process.
- 5. They are designed to function effectively within a temperature range of -40 to +60 $^{\circ}$ C.

Cable structure



GYTA Fiber Optic Cable

1. Fiber:

2-288 fiber

Multi-loose tube gel-filled

2. Central Strength Member:

Fiberglass reinforced Platic (FRP) or steel wire.

3. Armor:

Aluminum Tape Armor

4. Outer Jacket:

Black UV Polyethylene(PE)


Product Paramenters

Fibe r coun t	Structure	Fibers per tube	Loose tube diameter (mm)	CSM diameter/pa d diameter (mm)	Nominal Thickness of outer jacket (mm)	Cable diameter/ Height (mm)	Cable weight (kg/km)
4	1+5	4	1.8±0.1	1.4/1.4	1.4	9.0±0.3	80

6	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80
8	1+5	8	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80
12	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80
24	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	85
36	1+6	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	100
48	1+5	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	105
60	1+5	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	110
72	1+6	12	2.2±0.1	2.0/2.0	1.6	10.6±0.3	122
96	1+8	12	2.2±0.1	1.6/3.5	1.6	12.0±0.3	160
144	1+12	12	2.2±0.1	2.0/6.4	1.8	15.6±0.3	240
216	1+6+12	12	2.2±0.1	2.2/2.2	1.8	16.0±0.3	270
288	1+9+15	12	2.2±0.1	2.2/4.3	2.0	18.2±0.3	282

Learn more about our products and factory







OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM





HOT-SALE PRODUCT





TRANSPORT&PAY TRANSPORT&PAY Air Freight Land Transportation Shipping Delivery





























SHIPMENT

PACKAGING

TRUCK LOADING

GOODS RECEIPT

FAQ

1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market (100.00%). There are total about 11-50 people in our factory.

2. how can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment;

3.Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design.we will offer you a reasonable price and make samples for you.

5. what services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW

Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF; Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow;

Language Spoken: English, Chinese

guangzhou fiber cablepuls co ltd

+8613687956390

cotton@fibercablepuls.com

e fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China