aluminum tape

GYTA fiber optical cable wholesale armored cable for duct GYTS GYTA

Basic Information

. Place of Origin: **GUANGZHOU/CHINA** . Brand Name: PUNAISGD/CABLEPULS

ISO/CE/ROSH · Certification:

GYTA Model Number: • Minimum Order Quantity: 2km • Price: negotiate

Wooden Spool /drum Packaging Details:

• Delivery Time: 5-25 days

Payment Terms: 30% TT as deposit, 70% Balance before

shipping

100km • Supply Ability:



Product Specification

GYTA . Item:

· Outdoor: Outdoor Fiber Optic Cable

G652D OR G652B . Fiber:

PΕ · Jacket Material: · Strength Member: Steel Armored: Aluminum

• Highlight: g652b duct fiber optic cable,

g652d duct fiber optic cable,

g652b outdoor fiber optic cable



More Images



Our Product Introduction

GYTA Outdoor Fiber Optical Cable


GYTA fiber optic cables, characterized by a single jacket and armor system around a loose tube, are intended to furnish a substantial fiber count. Their design ensures they are both flexible and versatile, fitting for the most stringent installation needs of the day, such as in ducts and underground conduits



Features:

- 1.The cables are characterized by their minimal dispersion and attenuation, ensuring a high-fidelity signal transmission.
- 2. With a design that prioritizes fiber length precision and a unique stranding process, the cables possess remarkable mechanical and environmental adaptability.
- 3.The inclusion of corrugated steel tape in the armoring provides the cables with notable resistance to moisture and being crushed.
- 4. The ease of laying these cables is facilitated by their compact size and lightweight nature.
- 5. The cables are suitable for operation in temperatures ranging from -40 to +60 °C.

Cable structure



GYTA Fiber Optic Cable

1. Fiber:

2-288 fiber

Multi-loose tube gel-filled

2. Central Strength Member:

Fiberglass reinforced Platic (FRP) or steel wire.

3. Armor:

Aluminum Tape Armor

4. Outer Jacket:

Black UV Polyethylene(PE)


Product Paramenters

Fibe r coun t	per diar	e tube diameter/pa eter d diameter (mm)	Nominal Thickness of outer jacket (mm)	Cable diameter/ Height (mm)	Cable weight (kg/km)
------------------------	----------	---	--	--------------------------------------	----------------------------

6	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80
8	1+5	8	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80
12	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80
24	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	85
36	1+6	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	100
48	1+5	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	105
60	1+5	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	110
72	1+6	12	2.2±0.1	2.0/2.0	1.6	10.6±0.3	122
96	1+8	12	2.2±0.1	1.6/3.5	1.6	12.0±0.3	160
144	1+12	12	2.2±0.1	2.0/6.4	1.8	15.6±0.3	240
216	1+6+12	12	2.2±0.1	2.2/2.2	1.8	16.0±0.3	270
288	1+9+15	12	2.2±0.1	2.2/4.3	2.0	18.2±0.3	282

Learn more about our products and factory







OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM





HOT-SALE PRODUCT





TRANSPORT&PAY POSTAL SERVICE Land Air Freight Shipping Delivery Transportation And More... MONEY TRANSFER



1. Why choose us?

SHIPMENT

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market (100.00%). There are total about 11-50 people in our factory.

TRUCK LOADING

GOODS RECEIPT

2. how can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment;

PACKAGING

3.Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design.we will offer you a reasonable price and make samples for you.

5. what services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW

Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF; Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow;

Language Spoken: English, Chinese

guangzhou fiber cablepuls co ltd

+8613687956390

cotton@fibercablepuls.com

e fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China