

GYTA outdoor fiber optical cable overhead aerial cable telecomunication cable

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- PUNAISGD/CABLEPULS ISO/CE/ROSH GYTA 2km negotiate Wooden Spool /drum 5-25 days 30% TT as deposit, 70% Balance before shipping 100km

GUANGZHOU/CHINA



Product Specification

- Item:
- Outdoor:
- Jacket Material:
- Useful:
- Outer Jacket Materail:
- Outer Jacket Material:
- Highlight:

Outdoor Fiber Optic Ca	able
PE	
FTTX	
Aluminum	
PE(Black)	
Armored Fiber Optic Cat Armored Outdoor Fiber (· ·

GYTA

Overhead Armored Fiber Cable



More Images



GYTA Outdoor Fiber Optical Cable

Offering a substantial fiber count, GYTA fiber optic cables are built with a single jacket and armor configuration around a loose tube. They are designed for the flexibility and adaptability needed to meet the stringent installation requirements of today, suitable for both duct and underground conduit environments.



Features:

1. The cables boast reduced light scattering and low signal attenuation, enhancing the quality of signal transmission.


2.An intelligent design, precise control over excess fiber length, and a specific stranding approach yield the cables' excellent mechanical and environmental characteristics.

3. The armoring with corrugated steel tape ensures the cables have good resistance to moisture and crushing, safeguarding against environmental hazards.

4. The cables' small diameter and light weight are advantageous for easy and quick installation.

5. They are operational within a temperature range of -40 to +60 $^\circ$ C, demonstrating their versatility in different climatic conditions

Cable structure



Fiber Loose Tube Filled with Jelly Cable Filling Compound Central Strength Member(FRP) Filler Aluminium Tape Armor PE Jacket

GYTA Fiber Optic Cable


Fiber:
2-288 fiber
Multi-loose tube gel-filled
Central Strength Member:
Fiberglass reinforced Platic (FRP) or steel wire.
Armor:
Armor:
Aluminum Tape Armor
Outer Jacket:
Black UV Polyethylene(PE)

Product Paramenters

Fibe r coun t	Structure	Fibers per tube	Loose tube diameter (mm)	CSM diameter/pa d diameter (mm)	Nominal Thickness of outer jacket (mm)	Cable diameter/ Height (mm)	Cable weight (kg/km)
4	1+5	4	1.8±0.1	1.4/1.4	1.4	9.0±0.3	80
6	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80
8	1+5	8	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80
12	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80
24	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	85
36	1+6	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	100
48	1+5	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	105
60	1+5	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	110
72	1+6	12	2.2±0.1	2.0/2.0	1.6	10.6±0.3	122
96	1+8	12	2.2±0.1	1.6/3.5	1.6	12.0±0.3	160
144	1+12	12	2.2±0.1	2.0/6.4	1.8	15.6±0.3	240
216	1+6+12	12	2.2±0.1	2.2/2.2	1.8	16.0±0.3	270
288	1+9+15	12	2.2±0.1	2.2/4.3	2.0	18.2±0.3	282

Learn more about our products and factory







OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM



Color Fiber Testing

riber resting

Stranded Loose Tube

ated Finished Cable Testing



HOT-SALE PRODUCT







FAQ

1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market (100.00%). There are total about 11-50 people in our factory.

2. how can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment;

3.Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design.we will offer you a reasonable price and make samples for you.

5. what services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF; Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow; Language Spoken:English,Chinese

