### **Basic Information**

. Place of Origin: **GUANGZHOU/CHINA** . Brand Name: PUNAISGD/CABLEPULS

ISO/CE/ROSH · Certification:

**GYTS** Model Number: • Minimum Order Quantity: 2km • Price: negotiate

Wooden Spool /drum Packaging Details:

• Delivery Time: 5-25 days

Payment Terms: 30% TT as deposit, 70% Balance before

shipping

• Supply Ability: 100km



## **Product Specification**

**GYTS** • Item: . Sheath Material: PΕ

Armoured: Steel Tape • Transport Package: Wooden Drum

· Construction: Stranded Loose Tube

Installation:

• Highlight: stranded duct fiber optic cable,

stranded outdoor fiber optic cable




## More Images



Our Product Introduction

## **GYTS Outdoor Fiber Optical Cable**

### **Products Description**



GYTS fiber optic cables, fortified with an armored loose tube and a single-layer jacket/armor, are tailored to offer a substantial count of fibers. They exhibit remarkable adaptability and flexibility, well-suited for the challenging installation environments prevalent in contemporary times, such as those in ducts and subterranean conduits.

### **Product Details**



#### Features:

- 1. The cables exhibit superior mechanical strength and stable temperature performance, ensuring reliable operation in various conditions.
- 2. The loose tube's material is resistant to hydrolysis and possesses enhanced durability.
- 3.A single steel wire serves as the cable's central reinforcement, capable of bearing axial forces.
- 4. The PE sheath shields the cable from UV radiation, extending its lifespan.
- 5. The cable core is completely filled to prevent any voids.
- 6.The longitudinally applied corrugated steel tape encases the cable core, offering enhanced crush r esistance.

#### Cable structure


- -Metallic(non-metallic) strength member;
- -Loose tube stranded;-corrugated steel tape armored;
- -Gel filling;
- -Polyethylene sheath outdoor cable for communication purpose;

### **Product Paramenters**

Fiber count	Structure	Fibers per tube	Loose tube diameter (mm)	CSM diameter/pad diameter (mm	Nominal Thickness of outer jacket (mm	Height (mm)	Cable weight (kg/km)
4	1+5	4	1.8±0.1	1.4/1.4	1.4	9.0±0.3	80
6	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80
8	1+5	8	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80
12	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80
24	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	85
36	1+6	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	100
48	1+5	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	105
60	1+5	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	110
72	1+6	12	2.2±0.1	2.0/2.0	1.6	10.6±0.3	122
96	1+8	12	2.2±0.1	1.6/3.5	1.6	12.0±0.3	160
144	1+12	12	2.2±0.1	2.0/6.4	1.8	15.6±0.3	240
216	1+6+12	12	2.2±0.1	2.2/2.2	1.8	16.0±0.3	270
288	1+9+15	12	2.2±0.1	2.2/4.3	2.0	18.2±0.3	282

## **Company Profile**












## **HOT-SALE PRODUCT**







**FAQ** 

#### 1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market (100.00%). There are total about 11-50 people in our factory.

TRUCK LOADING

**GOODS RECEIPT** 

### 2. how can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment;

**PACKAGING** 

### 3.Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

### 4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design.we will offer you a reasonable price and make samples for you.

### 5. what services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW

Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF; Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow;

Language Spoken:English,Chinese

# guangzhou fiber cablepuls co ltd

+8613687956390

cotton@fibercablepuls.com

fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China