GYTS Steel Tape Armored Outdoor Fiber Optic Cable

Basic Information

. Place of Origin: **GUANGZHOU/CHINA** . Brand Name: PUNAISGD/CABLEPULS

ISO/CE/ROSH · Certification:

GYTS Model Number: • Minimum Order Quantity: 2km • Price: negotiate

Packaging Details: Wooden Spool /drum

• Delivery Time: 5-25 days

Payment Terms: 30% TT as deposit, 70% Balance before

shipping

• Supply Ability: 100km



Product Specification

• Item: **GYTS** • Strength Member: Steel PΕ . Sheath Material:

Steel Tape Armoured: • Fiber Mode: Multi Mode • Fiber: G652D, G657A1

• Highlight: g652d fiber drop cable, g652d fiber optic cable



More Images



OUTDOOR FIBER OPTIC CABLE GYTS STEEL TAPE ARMORED

Product Specifications

Item	GYTS
Strength Member	Steel
Sheath Material	PE
Armoured	Steel Tape
Fiber Mode	Multi Mode
Fiber	G652D, G657A1


Product Description






The GYTS fiber optic cables feature an armored construction around a loose tube with a singular jacket/armor, designed to provide substantial fiber capacity. These cables offer exceptional adaptability and versatility, meeting rigorous installation standards for both duct and underground conduit applications.

Key Features





Exceptional mechanical properties and temperature stability for diverse applications

Highly resistant loose tube material with superior hydrolysis resistance

Steel wire backbone provides excellent axial stress resistance

PE sheath offers UV radiation protection

Densely filled cable core ensures structural integrity

Longitudinal corrugated steel tape delivers superior compression resistance

Cable Structure

Metallic (non-metallic) strength member

Loose tube stranded construction

Corrugated steel tape armored

Gel filling for protection

Polyethylene sheath for outdoor communication use

Technical Parameters

Fiber Count	Stru	Fibers per Tube	Loose Tube Diameter (mm)	CSM Diameter/Pad Diameter (mm)	Nominal Thickness of Outer Jacket (mm)	Cable Diameter/Height (mm)	Cable Weight (kg/km)
4	1+5	4	1.8±0.1	1.4/1.4	1.4	9.0±0.3	80
6	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80
8	1+5	8	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80
12	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80
24	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	85
36	1+6	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	100
48	1+5	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	105
60	1+5	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	110
72	1+6	12	2.2±0.1	2.0/2.0	1.6	10.6±0.3	122
96	1+8	12	2.2±0.1	1.6/3.5	1.6	12.0±0.3	160
144	1+12	12	2.2±0.1	2.0/6.4	1.8	15.6±0.3	240
216	1+6+ 12	12	2.2±0.1	2.2/2.2	1.8	16.0±0.3	270
288	1+9+ 15	12	2.2±0.1	2.2/4.3	2.0	18.2±0.3	282

Company Profile





OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM





HOT-SALE PRODUCT





Frequently Asked Questions

Why choose us?

We are a manufacturer located in Guangzhou, China, operating since 2011, serving domestic and international markets. Our factory employs 11-50 skilled professionals dedicated to quality production.

How can we guarantee quality?

Pre-production samples for approval before mass production

Final inspection before shipment

Can you send products to my country?

Yes, we can ship worldwide. If you don't have your own shipping forwarder, we can arrange transportation for you.

Can you do OEM for me?

We accept all OEM orders. Contact us with your design requirements and we'll provide competitive pricing and samples.

What services can we provide?

Delivery Terms: FOB, CIF, EXW

Payment Currencies: USD, EUR, JPY, CAD, AUD, HKD, GBP, CNY, CHF Payment Methods: T/T, L/C, D/P D/A, PayPal, Western Union, Escrow

Languages: English, Chinese

guangzhou fiber cablepuls co ltd

+8613687956390



cotton@fibercablepuls.com



fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China