# GYTS fiber optical cable Manufacure outdoor armoured GYTS underground duct cable

## **Basic Information**

. Place of Origin: **GUANGZHOU/CHINA** . Brand Name: PUNAISGD/CABLEPULS

ISO/CE/ROSH · Certification:

**GYTS** Model Number: • Minimum Order Quantity: 2km • Price: negotiate

Wooden Spool /drum · Packaging Details:

• Delivery Time: 5-25 days

Payment Terms: 30% TT as deposit, 70% Balance before

shipping

100km • Supply Ability:



## **Product Specification**

**GYTS** • Item: • Strength Member: Steel PΕ . Sheath Material:

Steel Tape Armoured: Fiber Mode: Multi Mode • Fiber: G652D, G657A1

• Highlight: armoured underground duct cable,

armoured underground fiber optic cable,

g652d underground duct cable



# More Images



# **GYTS Outdoor Fiber Optical Cable**

## **Products Description**



GYTS fiber optic cables, with their robust armored loose tube and single jacket/armor, are intended to deliver an ample fiber count. Their configuration guarantees they are adaptable and versatile, meeting the tough requirements of current installation scenarios, including those in ducts and underground conduits

## **Product Details**



## Features:

- 1. The cables possess outstanding mechanical attributes and temperature resilience, catering to a broad spectrum of operational demands.
- 2. The loose tube's composition is marked by its resistance to hydrolysis and elevated toughness.
- 3.A single steel wire is integrated as the cable's central strength element, designed to endure axial weight.
- 4. The PE sheath acts as a shield against UV radiation, preserving the cable's integrity.
- 5. The cable core is thoroughly filled to avoid any hollow spaces.
- 6.The cable core is fortified with longitudinal corrugated steel tape, which ensures formidable crush resistance.

#### Cable structure

- -Metallic(non-metallic) strength member;
- -Loose tube stranded;-corrugated steel tape armored;
- -Gel filling;
- -Polyethylene sheath outdoor cable for communication purpose;


## **Product Paramenters**

Fiber count	Structure	Fibers per tube	Loose tube diameter (mm)	CSM diameter/pad diameter (mm	Nominal Thickness of outer jacket (mm	Height (mm)	Cable weight (kg/km)
4	1+5	4	1.8±0.1	1.4/1.4	1.4	9.0±0.3	80
6	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80
8	1+5	8	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80
12	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80
24	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	85
36	1+6	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	100
48	1+5	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	105
60	1+5	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	110
72	1+6	12	2.2±0.1	2.0/2.0	1.6	10.6±0.3	122
96	1+8	12	2.2±0.1	1.6/3.5	1.6	12.0±0.3	160
144	1+12	12	2.2±0.1	2.0/6.4	1.8	15.6±0.3	240
216	1+6+12	12	2.2±0.1	2.2/2.2	1.8	16.0±0.3	270
288	1+9+15	12	2.2±0.1	2.2/4.3	2.0	18.2±0.3	282

# **Company Profile**

SUPPLIER FORTUNE 500 COMPANYS







# **HOT-SALE PRODUCT**



# **TRANSPORT&PAY** POSTAL SERVICE Land Air Freight Shipping Delivery Transportation





























SHIPMENT

**PACKAGING** 

TRUCK LOADING

**GOODS RECEIPT** 

## **FAQ**

#### 1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market (100.00%). There are total about 11-50 people in our factory.

#### 2. how can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment;

## 3.Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

## 4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design.we will offer you a reasonable price and make samples for you.

## 5. what services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW

Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF; Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow;

Language Spoken: English, Chinese

# guangzhou fiber cablepuls co ltd

+8613687956390

cotton@fibercablepuls.com

fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China