

# GYFTY optica fiber cable long distance communication cable GYFTY duct underground

#### **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:

Our Product Introduction

- · Packaging Details:
- Delivery Time:
- Payment Terms:

#### GUANGZHOU/CHINA PUNAISGD/CABLEPULS

- ISO/CE/ROSH

- Supply Ability:
- GYFTY 2km negotiate Wooden Spool /drum 5-25 days
- 30% TT as deposit, 70% Balance before shipping 100km



#### **Product Specification**

- Item:
- Jacket Material:
- Strength Member:
- Type:
- · Laying Method:
- Fiber:
- Highlight:
- ΡE FPR Multi Mode Duct G652D

GYFTY

g652d duct fiber optic cable, g652d outdoor fiber optic cable



#### More Images



## **GYFTY OUTDOOR OPTICAL FIBER CABLE**

### **Products Description**



GYFTY cables, designed as an outdoor solution for telecommunications and data transmission, feature non-metallic strength members and are encased in loose tubes filled with water-blocking gel to shield fiber optics from environmental hazards. Wrapped with aramid yarn for enhanced protection and flexibility, these cables boast an HDPE outer sheath that defends against UV rays, chemicals, and physical impacts. Versatile for aerial, duct, and burial installations, GYFTY cables are tailored for tough outdoor conditions and come in various fiber counts, compatible with diverse splicing and termination methods. They ensure high performance and enduring reliability for extensive and high-capacity communication networks.

# **GYFTY** FRP Fiber Core e Tub 1.Fibe 2.Filling Compound 3.Non-metal member 4.Loose Tube

5.Water blocking system 6.Outer sheath

**Cable structure** 



# **Product Paramenters**

Fiber count	Structur e	Fibers per tube	Loose tube diameter	CSM diameter	Nominal tickness of outer jacket	Cable diameter	Cable weight
4	1+5	4	1.8±0.1	1.4/1.4	1.6	8.8±0.2	62
6	1+5	6	1.9±0.1	1.4/1.4	1.6	8.8±0.2	62
8	1+5	8	1.9±0.1	1.4/1.4	1.6	8.8±0.2	62
12	1+5	6	1.9±0.1	1.4/1.4	1.6	8.8±0.2	65
24	1+5	6	1.9±0.1	1.4/1.4	1.6	9.2±0.2	68
36	1+6	12	1.9±0.1	1.6/1.6	1.6	9.2±0.2	68
48	1+5	12	2.2±0.1	1.6/1.6	1.6	9.2±0.2	68
72	1+6	12	2.2±0.1	1.6/1.6	1.6	10.6	80
96	1+6	12	2.2±0.1	2.0/2.0	1.6	12.0	103







## FAQ

1. Why choose us? We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market (100.00%). There are total about 11-50 people in our factory. 2. how can we guarantee quality? Always a pre-production sample before mass production; Always final Inspection before shipment; 3.Can you send products to my country? Sure, we can. If you do not have your own ship forwarder, we can help you. 4. Can you do OEM for me? We accept all OEM orders, just contact us and give me your design.we will offer you a reasonable price and make samples for you. 5. what services can we provide? Accepted Delivery Terms: FOB,CIF,EXW Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF; Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow; Language Spoken:English,Chinese



romando							
+8613687956390	cotton@fibercablepuls.com	6 fiberoptical-cables.com					
925-926, Building B1, No. 2 Chu	uanghui Avenue, Yonghe Yushan Inte province,China	ernationalGuangzhou city,Guangdong					