





GYFTY fiber optic cable Hot sale fiber GYFTY for duct and underground or aerial use

Basic Information

Place of Origin: GUANGZHOU/CHINABrand Name: PUNAISGD/CABLEPULS

Certification: ISO/CE/ROSHModel Number: GYFTY

Minimum Order Quantity: 2kmPrice: negotiate

Packaging Details: Wooden Spool /drum

• Delivery Time: 5-25 days

• Payment Terms: 30% TT as deposit, 70% Balance before

shipping

• Supply Ability: 100km



Product Specification

Item: GYFTY
Jacket Material: PE
Strength Member: FPR
Type: Multi Mode
Laving Method: Duct

Laying Method: DuctFiber: G652D

• Highlight: g652d fiber drop cable, g652d fiber optic cable



More Images




GYFTY OUTDOOR OPTICAL FIBER CABLE

Products Description



Tailored for outdoor telecommunication and data transmission tasks, GYFTY cables are equipped with a non-metallic central strength member and are shielded by loose tubes containing a gel that prevents water penetration, thus protecting the fiber optics from moisture and environmental stress. The cables are sheathed in aramid yarn for supplementary protection and adaptability, with an HDPE outer sheath that offers exceptional resistance to UV, chemicals, and physical harm. Fit for aerial, duct, and direct burial applications, GYFTY cables are constructed to handle the rigors of outdoor use and are supplied in various fiber counts to accommodate a range of capacity needs, also being compatible with numerous splicing and termination techniques. They are recognized for their high performance, durability, and reliability, making them well-suited for long-distance and high-capacity communication networks.

Cable structure



- 1.Fibe
- 2.Filling Compound
- 3.Non-metal member
- 4.Loose Tube
- 5. Water blocking system
- 6.Outer sheath

Product Paramenters

Fiber count	Structur e	Fibers per tube	Loose tube diameter	CSM diameter	Nominal tickness of outer jacket	Cable diameter	Cable weight
4	1+5	4	1.8±0.1	1.4/1.4	1.6	8.8±0.2	62
6	1+5	6	1.9±0.1	1.4/1.4	1.6	8.8±0.2	62
8	1+5	8	1.9±0.1	1.4/1.4	1.6	8.8±0.2	62
12	1+5	6	1.9±0.1	1.4/1.4	1.6	8.8±0.2	65
24	1+5	6	1.9±0.1	1.4/1.4	1.6	9.2±0.2	68
36	1+6	12	1.9±0.1	1.6/1.6	1.6	9.2±0.2	68
48	1+5	12	2.2±0.1	1.6/1.6	1.6	9.2±0.2	68
72	1+6	12	2.2±0.1	1.6/1.6	1.6	10.6	80

96	1+6	12	2.2±0.1	2.0/2.0	1.6	12.0	103
144	1+12	12	2.2±0.1	2.0/2.0	1.8	15.0	180

Our Factory

NEWS AND FIBER OPTICAL CABLE SOLUTION


















120+

≤ 2h

99%
















OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM












▲ Finished Cable Testing



HOT-SALE PRODUCT



































SHIPMENT

PACKAGING

TRUCK LOADING

GOODS RECEIPT

FAQ

1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market (100.00%). There are total about 11-50 people in our factory.

2. how can we guarantee quality?

Always a pre-production sample before mass production;

Always final Inspection before shipment;

3.Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design.we will offer you a reasonable price and make samples for you.

5. what services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW

Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF; Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow;

Language Spoken: English, Chinese

guangznou nper capiepuis co nu

+8613687956390

cotton@fibercablepuls.com



fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China