

GYFTY Outdoor Fiber Optic Cable PE Jacket for Duct and Aerial Use

Basic Information

Place of Origin: GUANGZHOU/CHINABrand Name: PUNAISGD/CABLEPULS

Certification: ISO/CE/ROSH
 Model Number: GYFTY
 Minimum Order Quantity: 2km

• Price: negotiate

Packaging Details: Wooden Spool /drum

• Delivery Time: 5-25 days

• Payment Terms: 30% TT as deposit, 70% Balance before

shipping

• Supply Ability: 100km



Product Specification

Item: GYFTY
Jacket Material: PE
Strength Member: FPR
Type: Multi Mode
Laying Method: Duct
Fiber: G652D

• Highlight: g652d fiber drop cable, g652d fiber optic cable



More Images



GYFTY Fiber Optic Cable

Hot sale fiber GYFTY for duct and underground or aerial use


Product Attributes

Attribute	Value
Item	GYFTY
Jacket material	PE
Strength member	FPR
Туре	Multi mode
Laying Method	Duct
Fiber	G652D

Product Description

GYFTY Outdoor Optical Fiber Cable







Tailored for outdoor telecommunication and data transmission tasks, GYFTY cables feature a non-metallic central strength member and are shielded by loose tubes containing a gel that prevents water penetration, protecting the fiber optics from moisture and environmental stress. The cables are sheathed in aramid yarn for supplementary protection and adaptability, with an HDPE outer sheath that offers exceptional resistance to UV, chemicals, and physical damage.

Suitable for aerial, duct, and direct burial applications, GYFTY cables are constructed to handle outdoor use and are available in various fiber counts to accommodate different capacity needs. They are compatible with numerous splicing and termination techniques, recognized for their high performance, durability, and reliability in long-distance and high-capacity communication networks.

Cable Structure



GYFTY



Fiber

Filling Compound

Non-metal member

Loose Tube

Water blocking system

Outer sheath

Product Parameters

Fiber count	Structure	Fibers per tube	Loose tube diameter	CSM diameter	Nominal thickness of outer jacket	Cable diameter	Cable weig
4	1+5	4	1.8±0.1	1.4/1.4	1.6	8.8±0.2	62
6	1+5	6	1.9±0.1	1.4/1.4	1.6	8.8±0.2	62
8	1+5	8	1.9±0.1	1.4/1.4	1.6	8.8±0.2	62
12	1+5	6	1.9±0.1	1.4/1.4	1.6	8.8±0.2	65
24	1+5	6	1.9±0.1	1.4/1.4	1.6	9.2±0.2	68
36	1+6	12	1.9±0.1	1.6/1.6	1.6	9.2±0.2	68
48	1+5	12	2.2±0.1	1.6/1.6	1.6	9.2±0.2	68
72	1+6	12	2.2±0.1	1.6/1.6	1.6	10.6	80
96	1+6	12	2.2±0.1	2.0/2.0	1.6	12.0	103
144	1+12	12	2.2±0.1	2.0/2.0	1.8	15.0	180

Our Factory

NEWS AND FIBER OPTICAL CABLE SOLUTION

PROFESSIONAL PERSISTENCE









90+










YS

old to Countries Cooperative Suppl

120+

≤ 2h

99%
















OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM





▲ Color Fiber Testing







▲ Fiber to Loose Tube

▲ Stranded Loose Tube


▲ Finished Cable Testing



HOT-SALE PRODUCT















And More.....



















SHIPMENT

PACKAGING

TRUCK LOADING

GOODS RECEIPT

FAQ

Why choose us?

We are the manufacturer located in Guangzhou, China, operating since 2011, serving the Domestic Market (100.00%). Our factory employs 11-50 people dedicated to quality production.

How can we guarantee quality?

We always provide a pre-production sample before mass production and conduct final inspection before shipment to ensure quality standards.

Can you send products to my country?

Yes, we can. If you don't have your own shipping forwarder, we can assist with logistics.

Can you do OEM for me?

We accept all OEM orders. Contact us with your design requirements, and we'll provide a competitive quote and samples.

What services can we provide?

Accepted Delivery Terms: FOB, CIF, EXW

Accepted Payment Currency: USD, EUR, JPY, CAD, AUD, HKD, GBP, CNY, CHF Accepted Payment Type: T/T, L/C, D/P D/A, PayPal, Western Union, Escrow

Languages Spoken: English, Chinese

guangzhou fiber cablepuls co ltd

+8613687956390

cotton@fibercablepuls.com

fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China