# **GYTA33 Steel Armored Submarine Fiber Optic Cable** G652D

## **Basic Information**

. Place of Origin: **GUANGZHOU/CHINA** . Brand Name: PUNAISGD/CABLEPULS

ISO/CE/ROSH · Certification: GYTA33 Model Number: • Minimum Order Quantity: 2km • Price: negotiate

Wooden Spool /drum · Packaging Details:

• Delivery Time: 5-25 days

Payment Terms: 30% TT as deposit, 70% Balance before

shipping

100km • Supply Ability:



## **Product Specification**

• Structure: Stranded Loose Tube

Loose Tube Material: PBT • Outer Sheath Color: Black

Steel Wire Tape • Armour: · Armor Layer: Aluminum Tape

• Temperature Range: -20~+60

· Highlight: g652d duct fiber optic cable, g652d outdoor fiber optic cable,

stranded duct fiber optic cable



# More Images



#### GYTA33 Fiber Optical Cable Submarine Underwater G652D Cable Undersea Loose Tube


#### **Product Attributes**

Attribute	Value
Structure	stranded loose tube
Loose tube material	РВТ
Outer Sheath Color	Black
Armour	steel wire tape
Armor Layer	Aluminum Tape
Temperature range	-20~+60

## **Product Description**

GYTA33 12 24 36 core direct burial armored submarine loose optic cable

The GYTA33 marine fiber optic cable, accommodating 2 to 72 fibers, is equipped with a steel central support and is internally filled with a gel substance. The fiber is housed in a loosely woven tube, potentially accompanied by a polypropylene filler if needed, and is spiraled around a gel that prevents water infiltration. The cable is then shielded with an aluminum tape coated with copolymer, enclosed within a polyethylene inner layer, fortified by steel wire armor, and topped with a polyethylene outer layer. It utilizes G652D single-mode fibers, with detailed specs customizable to your requests.



## **Key Features**

Premium quality optical fiber ensures exceptional transmission efficiency

Meticulous management of fiber surplus length guarantees robust mechanical performance and temperature resilience


Loose tubes filled with proprietary gel provide perfect protection for optical fibers


Complete water-blocking capability ensures reliable defense against moisture and water


 $Central\ strength\ member\ features\ anti-corrosive,\ high-modulus\ phosphated\ steel\ wire\ for\ optimal\ tensile\ strength$ 


Longitudinal armor with aluminum tape and steel wire braid provides high resistance to crushing, tensile strength, and bullet resistance ldeal for rigorous direct burial or underwater deployment

## **Cable Structure**










## **Product Parameters**

Cable Type	Fiber Count	Structure	Cable Diameter (mm)	Cable Weight (kg/km)
GYTA33	2-30	1+5	12.8	268
	32-36	1+6	13.2	287
	38-60	1+5	13.9	318
	62-72	1+6	14.2	334
	72-84	1+7	15.1	363
	86-96	1+8	15.1	387
	98-108	1+9	16.6	437
	110-120	1+10	17.2	465
	122-132	1+11	18.3	558
	134-144	1+12	18.9	583
	146-216	1+6+12	18.4	503
	218-288	1+9+15	20.5	600

## **Our Factory**







# **OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM**





# **HOT-SALE PRODUCT**





## **Frequently Asked Questions**

#### Why choose us?

We are the manufacturer located in Guangzhou, China, operating since 2011. We primarily serve the domestic market with a team of 11-50 professionals dedicated to quality fiber optic cable production.

## How can we guarantee quality?

We implement strict quality control measures including pre-production samples and final inspection before shipment to ensure product excellence.

#### Can you send products to my country?

Yes, we can ship worldwide. If you don't have your own shipping forwarder, we can arrange international logistics for you.

#### Can you do OEM for me?

We accept all OEM orders. Contact us with your design requirements and we'll provide competitive pricing and samples.

## What services can we provide?

Accepted Delivery Terms: FOB, CIF, EXW

Accepted Payment Currency: USD, EUR, JPY, CAD, AUD, HKD, GBP, CNY, CHF Accepted Payment Type: T/T, L/C, D/P D/A, PayPal, Western Union, Escrow

Languages Spoken: English, Chinese









fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province, China