GYTA33 fiber optic cable 24 cores single mode cable stee wire armoured cable

Basic Information

. Place of Origin: **GUANGZHOU/CHINA** . Brand Name: PUNAISGD/CABLEPULS

ISO/CE/ROSH · Certification: GYTA33 Model Number: • Minimum Order Quantity: 2km • Price: negotiate

Wooden Spool /drum · Packaging Details:

• Delivery Time: 5-25 days

Payment Terms: 30% TT as deposit, 70% Balance before

shipping

100km • Supply Ability:



Product Specification

• Structure: Stranded Loose Tube

Loose Tube Material: PBT • Outer Sheath Color: Black

Steel Wire Tape Armour: · Armor Layer: Aluminum Tape

• Temperature Range: -20~+60

· Highlight: 24 cores single mode cable, fiber optic cable 24 cores,

armoured fiber optic cable



More Images



GYTA33 12 24 36 core direct burial aromored submarine loose optic cable

Products Descriptions

The GYTA33 submarine fiber optic cable, designed for a fiber count of 2 to 72, incorporates a steel central member for strength and is packed with a jelly substance. The fiber is encased in a tube that can be filled with polypropylene if necessary, and is woven around a water-resistant gel. The cable is protected by an aluminum tape with a copolymer coating, wrapped in a polyethylene inner sheath, armored with a layer of steel wires, and sheathed in a polyethylene outer layer. It is specified for G652D single-mode fiber, with the option to adjust the details according to your needs.




Product Details

Features:

- 1. The top-tier optical fiber delivers high-quality transmission characteristics.
- 2.The accurate regulation of the fiber's surplus length ensures superior mechanical and thermal performance.
- 3. The loose tubes, packed with a unique gel, provide flawless protection for the optical fibers.
- 4. The full-section water-blocking system ensures the cable's core is steadfast in its resistance to moisture and water.
- 5.The central strength member, a corrosion-resistant steel wire with an elevated Young's modulus, provides the necessary tensile strength. The cable's longitudinal armor, with a coated aluminum tape on both sides and a steel wire armor, meets the needs for high crush resistance, tensile strength, bulletproofing, and is suitable for heavy-duty direct burial or underwater laying

Cable structure:






Product Paraments

Cable Type	Fiber Count	Structure	Cable Diameter	Cable Weight
GYTA33	2-30	1+5	12.8	268
	32-36	1+6	13.2	287
	38-60	1+5	13.9	318
	62-72	1+6	14.2	334
	72-84	1+7	15.1	363
	86-96	1+8	15.1	387
	98-108	1+9	16.6	437
	110-120	1+10	17.2	465
	122-132	1+11	18.3	558
	134-144	1+12	18.9	583
	146-216	1+6+12	18.4	503
ĺ	218-288	1+9+15	20.5	600

Learn more about our products and factory







OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM





HOT-SALE PRODUCT





FAQ

1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market(100.00%). There are total about 11-50 people in our factory.

2. how can we guarantee quality?

Always a pre-production sample before mass production;

Always final Inspection before shipment;

3. Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design. we will offer you a reasonable price and make samples for you.

5. what services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW

Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF; Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow;

Language Spoken: English, Chinese









fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province, China