GYTA33 Steel Armored Fiber Optic Cable for Direct Burial and Submarine Use

Basic Information

. Place of Origin: **GUANGZHOU/CHINA** . Brand Name: PUNAISGD/CABLEPULS

ISO/CE/ROSH · Certification: GYTA33 Model Number: • Minimum Order Quantity: 2km • Price: negotiate

Wooden Spool /drum · Packaging Details:

• Delivery Time: 5-25 days

Payment Terms: 30% TT as deposit, 70% Balance before

shipping

100km • Supply Ability:



Product Specification

• Structure: Stranded Loose Tube

Loose Tube Material: PBT • Outer Sheath Color: Black

Steel Wire Tape • Armour: · Armor Layer: Aluminum Tape

• Temperature Range: -20~+60

· Highlight: armoured duct fiber optic cable, armoured outdoor fiber optic cable,

stranded duct fiber optic cable



More Images



GYTA33 Fiber Optic Cable - 24km/30km Double Sheath Steel Armoured Submarine Cable

Product Specifications

Attribute	Value
Structure	Stranded loose tube
Loose tube material	PBT
Outer Sheath Color	Black
Armour	Steel wire tape
Armor Layer	Aluminum Tape
Temperature range	-20°C to +60°C

Product Description

The GYTA33 undersea fiber cable supports 2 to 72 fibers with steel core reinforcement and gel filling. This G652D single-mode fiber cable features a stranded loose tube structure with polypropylene filler, water-blocking gel, aluminum tape coating, and dual polyethylene sheaths with steel wire armor for maximum protection.



Key Features

High-grade optical fiber with excellent transmission properties

Precisely controlled fiber length for optimal mechanical and thermal performance


Loose tubes filled with special protective gel


Comprehensive water-blocking system for moisture resistance

Corrosion-resistant steel wire core with high tensile strength


Aluminum tape and steel wire armor for crush resistance and durability

Suitable for heavy-duty direct burial or underwater installation









Technical Parameters

Cable Type	Fiber Count	Structure	Cable Diameter (mm)	Cable Weight (kg/km)
GYTA33	2-30	1+5	12.8	268
	32-36	1+6	13.2	287
	38-60	1+5	13.9	318
	62-72	1+6	14.2	334
	72-84	1+7	15.1	363
	86-96	1+8	15.1	387
	98-108	1+9	16.6	437
	110-120	1+10	17.2	465
	122-132	1+11	18.3	558
	134-144	1+12	18.9	583
	146-216	1+6+12	18.4	503
	218-288	1+9+15	20.5	600

Manufacturing Facility

NEWS AND FIBER OPTICAL CABLE SOLUTION

📜 | PROFESSIONAL PERSISTENCE


















12

90+

120+

≤ 2h

99%
















OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM















▲ Stranded Loose Tube

▲ Finished Cable Testing







Frequently Asked Questions

Why choose us?

We are a manufacturer located in Guangzhou, China, operating since 2011. We primarily serve the domestic market with a team of 11-50 professionals.

How do we guarantee quality?

We provide pre-production samples before mass production and conduct final inspections before shipment.

Can you ship to my country?

Yes, we can arrange shipping even if you don't have your own forwarder.

Do you offer OEM services?

We accept all OEM orders. Contact us with your design for samples and competitive pricing.

What services do you provide?

Delivery Terms: FOB, CIF, EXW. Payment Options: T/T, L/C, D/P D/A, PayPal, Western Union, Escrow. Accepted Currencies: USD, EUR, JPY, CAD, AUD, HKD, GBP, CNY, CHF. Languages: English, Chinese.







cotton@fibercablepuls.com



fiberoptical-cables.com