# GYTA33 fiber optic cable outdoor cable strong thick armoured cable for underwater

### **Basic Information**

. Place of Origin: **GUANGZHOU/CHINA** . Brand Name: PUNAISGD/CABLEPULS

ISO/CE/ROSH · Certification: GYTA33 Model Number: • Minimum Order Quantity: 2km • Price: negotiate

Wooden Spool /drum · Packaging Details:

• Delivery Time: 5-25 days

Payment Terms: 30% TT as deposit, 70% Balance before

shipping

100km • Supply Ability:



## **Product Specification**

• Structure: Stranded Loose Tube

 Loose Tube Material: PBT • Outer Sheath Color: Black

Steel Wire Tape • Armour: · Armor Layer: Aluminum Tape • Temperature Range: -20~+60

. Highlight: armoured fiber drop cable,

armoured fiber optic cable, stranded fiber drop cable



# More Images



# GYTA33 12 24 36 core direct burial aromored submarine loose optic cable

# **Products Descriptions**

The GYTA33 fiber optic cable for underwater use, with a fiber count from 2 to 72, is reinforced with a steel central member and contains a gel filling. The fiber is enclosed in a tube that could be complemented with a polypropylene filler if specified, and is helically wound around a gel that prevents water seepage. The cable is then enveloped with an aluminum tape that features a copolymer coating, enclosed by a polyethylene inner sheath, protected by a steel wire layer, and covered with a polyethylene outer sheath. It is designed for G652D single-mode fibers, with the ability to provide detailed specifications based on your inquiries.




#### **Product Details**

#### Features:

- $1. The \ high-caliber \ optical \ fiber \ guarantees \ high-standard \ transmission \ functionality.$
- 2.The precise control of the fiber's surplus length ensures excellent mechanical and temperature performance.
- 3. The loose tubes, brimming with a special gel, provide optimal protection for the optical fibers.
- 4.The all-segment water-blocking ensures the cable's core is dependable in its moisture and water-blocking capabilities.
- 5. The central strength member, a corrosion-resistant, high-Young's modulus phosphated steel wire, confers the required tensile strength. The cable's longitudinal armor, with a dual-sided coated aluminum tape and a steel wire braid, satisfies the requirements for high crush resistance, tensile strength, bulletproof properties, and is suitable for heavy-duty direct burial or underwater installation.

#### Cable structure:






# **Product Paraments**

Cable Type	Fiber Count	Structure	Cable Diameter	Cable Weight
GYTA33	2-30	1+5	12.8	268
	32-36	1+6	13.2	287
	38-60	1+5	13.9	318
	62-72	1+6	14.2	334
	72-84	1+7	15.1	363
	86-96	1+8	15.1	387
	98-108	1+9	16.6	437
	110-120	1+10	17.2	465
	122-132	1+11	18.3	558
	134-144	1+12	18.9	583
	146-216	1+6+12	18.4	503
ĺ	218-288	1+9+15	20.5	600

# Learn more about our products and factory







# **OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM**





# **HOT-SALE PRODUCT**





## **FAQ**

1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market(100.00%). There are total about 11-50 people in our factory.

2. how can we guarantee quality?

Always a pre-production sample before mass production;

Always final Inspection before shipment;

3. Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design. we will offer you a reasonable price and make samples for you.

5. what services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW

Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF; Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow;

Language Spoken: English, Chinese









fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province, China