GYFXTBY Outdoor Fiber Optic Cable FRP Strength Member PE Jacket

Basic Information

. Place of Origin: **GUANGZHOU/CHINA** . Brand Name: PUNAISGD/CABLEPULS

ISO/CE/ROSH · Certification: Model Number: **GYFXTBY** • Minimum Order Quantity: 2km

• Price: negotiate Wooden Spool /drum Packaging Details:

• Delivery Time: 5-25 days

Payment Terms: 30% TT as deposit, 70% Balance before

shipping

100km • Supply Ability:



Product Specification

Mode: **GYFXTBY**

• Strengthen Core: FRP

Loose Tube • Fiber Protection: • Cable Type: Outdoor PΕ Jacket Material: • Cable Color: Black

. Highlight: g652d fiber drop cable, g652d fiber optic cable,

frp fiber drop cable



More Images



GYFXTBY Flat Fiber Optic Cable - Best Self Supporting Cable G652D FRP Strength Member

Product Attributes

Attribute	Value
Mode	GYFXTBY
Strengthen Core	FRP
Fiber protection	Loose tube
Cable Type	Outdoor
Jacket Material	PE
Cable Color	Black


Product Description

GYFXTBY Outdoor 12-24 core Single Mode Aerial Optical Fiber Cable

The wire features a hollow core tube at its center, filled with an artificial oil-based gel that resists fungi growth, is non-conductive, uniform in composition, and free from contaminants. Two Fiber Reinforced Plastics (FRP) pieces are aligned alongside the tube, with an outer layer of UV-resistant black polyethylene (PE).







Product Structure

Compact Design for Self-Supporting Use: Minimalist form factor eliminates need for additional support structures

2 FRP Supports Long Span: Reinforced with two Fiber Reinforced Plastic supports for strength over long distances

 $\textbf{Light Weight and Small Diameter:} \ \mathsf{Easy} \ \mathsf{to} \ \mathsf{handle} \ \mathsf{and} \ \mathsf{install} \ \mathsf{in} \ \mathsf{various} \ \mathsf{environments}$

Easy Installation: Simplified setup process reduces time and effort required

Loose Tube with Gel Filled: Gel-filled loose tube provides excellent fiber protection for durability

Applications

Long distance communication systems

Local area network systems


Subscriber network systems

Product Parameters

Item	Materials	Color	Diameter	Number	Thickness
Loose Tube	PBT	White	2.1±0.05mm	1 Root	1
Strength Member	FPR	White	1.5±0.05mm	2 Root	1
Out Sheath	PE	Black	3.8×7.8 ±0.2 mm	1	0.9±0.1 mm

Factory Images







HOT-SALE PRODUCT





TRANSPORT&PAY

































SHIPMENT

PACKAGING →

TRUCK LOADING -

GOODS RECEIPT

Frequently Asked Questions

1. Why choose us?

We are the manufacturer located in Guangzhou, China, operating since 2011. We serve domestic markets with a team of 11-50 professionals.

2. How can we guarantee quality?

We provide pre-production samples before mass production and conduct final inspections before shipment.

3. Can you send products to my country?

Yes, we can ship worldwide. If you don't have your own forwarder, we can assist with shipping arrangements.

4. Can you do OEM for me?

We accept all OEM orders. Contact us with your design requirements for samples and competitive pricing.

5. What services can we provide?

Delivery Terms: FOB, CIF, EXW

Payment Currencies: USD, EUR, JPY, CAD, AUD, HKD, GBP, CNY, CHF Payment Methods: T/T, L/C, D/P D/A, PayPal, Western Union, Escrow

Languages: English, Chinese

guangzhou fiber cablepuls co ltd

+8613687956390



cotton@fibercablepuls.com



fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province, China