GYFXTBY flat optical cable 24 cores single mode cable FTTH non metalic bundle tube

Basic Information

. Place of Origin: **GUANGZHOU/CHINA** . Brand Name: PUNAISGD/CABLEPULS

ISO/CE/ROSH · Certification: **GYFXTBY** Model Number: • Minimum Order Quantity: 2km • Price: negotiate

· Packaging Details: Wooden Spool /drum

• Delivery Time: 5-25 days

Payment Terms: 30% TT as deposit, 70% Balance before

shipping

• Supply Ability: 100km



Product Specification

Mode: **GYFXTBY**

• Strengthen Core: FRP

• Fiber Protection: Loose Tube Outdoor • Cable Type: PΕ Jacket Material: • Cable Color: Black

. Highlight: 24 cores single mode cable,

24 cores air blowing cable, frp air blowing cable



More Images




GYFXTBY Outdoor 12 24 core Single Mode Aerial Optical Fiber Cable

This cable features a central hollow tube filled with a synthetic, oil-based substance that is non-nutritive to fungi and does not conduct electricity. It is a clean, consistent substance free from impurities or foreign objects. Alongside the tube, there are two Fiber Reinforced Plastics (FRP) rods that run in the same direction, all encased in a UV-resistant black polyethylene (PE) jacket.



Product Details



Products Structure

Streamlined Design for Independent Support: The cable boasts a compact design that enables it to support itself without external assistance.

Pair of Fiber Reinforced Plastic (FRP) Reinforcements: It includes two FRP reinforcements that are designed to extend the cable's reach over long spans.

Low Weight and Narrow Profile: The cable's light weight and slender design make it straightforward to set up, reducing the physical effort needed for installation.

Simplified Installation Process: The ease of handling due to its light weight and small diameter contributes to a more straightforward installation experience.

Superior Fiber Protection: The gel-filled loose tube ensures that the fiber is well-protected, providing a high level of durability and resistance to environmental factors

Application


Apply to Long distance communication system, Local area network system and Subscriber network system

Product Paraments

item	Materials	Color	Diameter	Number	Thickness
Loose Tube	PBT	White	2.1±0.05mm	1 Root	/
Strength Member	FPR	White	1.5±0.05mm	2 Root	/
Out Sheath	PE	Black	3.8×7.8 ±0.2 mm	/	0.9±0.1 mm

About the Factory







OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM





HOT-SALE PRODUCT





TRANSPORT&PAY POSTAL SERVICE Land Transportation Delivery Air Freight Shipping





























SHIPMENT

PACKAGING TRUCK LOADING

GOODS RECEIPT

FAQ

1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market(100.00%). There are total about 11-50 people in our factory.

2. how can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment;

3.Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design.we will offer you a reasonable price and make samples for you.

5. what services can we provide? Accepted Delivery Terms: FOB,CIF,EXW

Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF; Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow;

Language Spoken: English, Chinese



+8613687956390

cotton@fibercablepuls.com

fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China