# GYFXTBY outdoor fiber optic cable GYFXTBY aerial cable with FRP stregth member

### **Basic Information**

. Place of Origin: **GUANGZHOU/CHINA** . Brand Name: PUNAISGD/CABLEPULS

ISO/CE/ROSH · Certification: **GYFXTBY** Model Number: • Minimum Order Quantity: 2km • Price: negotiate

Wooden Spool /drum Packaging Details:

• Delivery Time: 5-25 days

Payment Terms: 30% TT as deposit, 70% Balance before

shipping

• Supply Ability: 100km



# **Product Specification**

Mode: **GYFXTBY** 

• Strengthen Core: FRP

Loose Tube • Fiber Protection: • Cable Type: Outdoor PΕ Jacket Material: • Cable Color: Black

. Highlight: frp duct fiber optic cable, frp outdoor fiber optic cable



# More Images



# **GYFXTBY Outdoor 12 24 core Single Mode Aerial Optical Fiber Cable**

The core of the cable is a tube filled with an artificial oil-based gel that is not edible for fungi, does not allow the passage of electricity, and is a uniform substance free from dirt or impurities. It is encircled by two Fiber Reinforced Plastics (FRP) elements that run longitudinally, and the entire assembly is covered by a UV-protective black polyethylene (PE) sheath.



### **Product Details**



#### **Products Structure**

**Minimalist Design for Self-Supporting:** The cable is designed with a minimalist approach that ensures it can be self-supporting without the need for external structures.

**Long-Range Applications with FRP Supports:** It includes two longitudinal Fiber Reinforced Plastic (FRP) supports that are ideal for long-range applications.

**User-Friendly for Installation:** The cable's light weight and compact size make it easy to handle and install, providing a user-friendly experience.


Well-Protected Fiber: The gel-filled loose tube safeguards the fiber, ensuring it is well-protected against potential damage

# **Product Paraments**

| item            | Materials | Color | Diameter        | Number | Thickness  |
|-----------------|-----------|-------|-----------------|--------|------------|
| Loose Tube      | PBT       | White | 2.1±0.05mm      | 1 Root | /          |
| Strength Member | FPR       | White | 1.5±0.05mm      | 2 Root | /          |
| Out Sheath      | PE        | Black | 3.8×7.8 ±0.2 mm | /      | 0.9±0.1 mm |

# **About the Factory**







# **OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM**





# **HOT-SALE PRODUCT**





# **TRANSPORT&PAY** POSTAL SERVICE Land Transportation Delivery Air Freight Shipping





























SHIPMENT

**PACKAGING** TRUCK LOADING

**GOODS RECEIPT** 

### **FAQ**

#### 1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market(100.00%). There are total about 11-50 people in our factory.

#### 2. how can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment;

#### 3.Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

## 4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design.we will offer you a reasonable price and make samples for you.

**5. what services can we provide?** Accepted Delivery Terms: FOB,CIF,EXW

Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF; Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow;

Language Spoken: English, Chinese



+8613687956390

cotton@fibercablepuls.com

fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China