



24 Core Steel Armoured FTTH Fiber Optic Cable Single Mode

Basic Information

. Place of Origin: **GUANGZHOU/CHINA** . Brand Name: PUNAISGD/CABLEPULS

ISO/CE/ROSH · Certification: **GYXTW** Model Number: • Minimum Order Quantity: 2km • Price: negotiate

Wooden Spool /drum · Packaging Details:

• Delivery Time: 5-25 days

Payment Terms: 30% TT as deposit, 70% Balance before

shipping

• Supply Ability: 100km



Product Specification

Armour Material: Corrugated Steel Tape Armoured

· Core: 2~24 Core Single Mode • Fiber Mode: • Strength Member Material: Steel Wire

• Single Armour Material: Corrugated Aluminium Tape

• Outer Jacket Materail:

. Highlight: armoured gyxtw fiber optic cable, armoured outdoor fiber optic cable



More Images



Our Product Introduction

GYXTW Fiber Optic Cable 24 Core FTTH Communication Cable Steel Armoured Cable

Product Attributes

Attribute	Value
Armour Material	Corrugated Steel Tape Armoured
Core	2~24 core
Fiber Mode	Single Mode
Strength Member Material	Steel Wire
Single Armour Material	Corrugated aluminium tape
Outer Jacket Material	PE


Product Description

This model of fiber optic cable features a single armored uni-tube design with fibers that are housed in a loose buffer tube for flexibility and protection.



Product Construction





• Fiber: 2-24 fibers, Uni-loose tube gel-filled

• Armor: Corrugated steel tape

• Strength Member: Embedded steel wire

• Outer Jacket: Black UV-and moisture-resistant polyethylene (PE)

Key Features

Gel-Infused Uni-Tube for Enhanced Fiber Protection

• Steel Tape Armored for Robust Defense

• Embedded Steel Wires for Strength and Durability

• Convenient and Compact Installation

• UV and Moisture-Resistant Construction


Product Parameters

Fiber coun t	Str uct ure	Fibers per tube	Loose tube diameter(mm)	CSM diameter/pad diameter (mm)	Nominal Thickness of outer jacket (mnm)	Cable diameter/ Height (m)	Cable weight (kg/km)
2	1	2	1.7±0.1	1.0/1.0	1.6	8.0±0.2	57
4	1	4	1.85±0.1	1.0/1.0	1.6	8.0±0.2	58

6	1	6	1.9±0.1	1.0/1.0	1.6	8.0±0.2	58
8	1	8	2.0±0.1	1.0/1.0	1.6	8.0±0.2	60
12	1	12	2.2±0.1	1.0/1.0	1.6	8.0±0.2	60

Company Profile











TRANSPORT&PAY



Frequently Asked Questions

SHIPMENT

Why choose us?

TRUCK LOADING

PACKAGING

people in our factory.

How can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment.

Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design. We will offer you a reasonable price and make samples for you.

What services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW; Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF; Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow; Language Spoken:English,Chinese









fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China