Basic Information

. Place of Origin: **GUANGZHOU/CHINA** Brand Name: PUNAISGD/CABLEPULS

· Certification: ISO/CE/ROSH **GYXTW** Model Number: • Minimum Order Quantity: 2km • Price: negotiate

· Packaging Details: Wooden Spool /drum

• Delivery Time: 5-25 days

Payment Terms: 30% TT as deposit, 70% Balance before

shipping

• Supply Ability: 100km



Product Specification

Armour Material: Corrugated Steel Tape Armoured

· Core: 2~24 Core • Fiber Mode: Single Mode • Strength Member Material: Steel Wire

• Single Armour Material: Corrugated Aluminium Tape

• Outer Jacket Materail:

. Highlight: outdoor fiber optic cable 48 cores,

armoured duct fiber optic cable, armoured outdoor fiber optic cable



More Images



Our Product Introduction

Product Description


Single Jacket Fiber Optic Cable: The cable is structured around a single uni-tube with a loose buffer tube for the fibers, ensuring they are not under undue stress.

Steel Tape Armoring: It is fortified by a steel tape armor that is corrugated for enhanced strength, which is then covered by a black polyethylene jacket for weather resistance.

Tension Management: Two steel wires are embedded within the cable to offer the required tension, ensuring it remains taut and secure



Product Construction



Product Construction

Fiber: 2-24 fibers Uni-loose tube gel-filled Armor: Corrugated steel tape

Strength Member:

Embedded steel wire

OuterJacket:

Black UV-and moisture-resistant polyethylene (PE).

Features

Uni-Tube with Gel for Superior Fiber Care: This cable incorporates a gel-filled uni-tube, which delivers exceptional fiber protection, maintaining the integrity of the fibers.

Steel Tape Armoring for Enhanced Durability: The steel tape armoring offers robust protection against rodents and mechanical stress, ensuring the cable's longevity.

Strengthened with Embedded Steel Wires: The inclusion of embedded steel wires ensures the cable has the necessary tensile strength and crush resistance for various applications.

User-Friendly and Compact: The compact nature of the cable facilitates straightforward installation, accommodating a wide range of uses.


Resilient to UV and Moisture: The cable is designed to be resistant to UV radiation and moisture, preserving its performance in outdoor environments.

Product Paramenters

Fib	Str	Fiber	Loose	CSM	Nominal	Cable	Cableweig
er		s per	tube	diameter/pad	Thickness of	diameter	ht
cou		tube	diameter(diameter	outer jacket	/ Height	(kg/km)
nt	Li C	labe	mm)	(mm)	(mnm)	(m)	(rtg/rtill)
2	1	2	1.7±0.1	1.0/1.0	1.6	8.0±0.2	57
4	1	4	1.85±0.1	1.0/1.0	1.6	8.0±0.2	58
6	1	6	1.9±0.1	1.0/1.0	1.6	8.0±0.2	58
8	1	8	2.0±0.1	1.0/1.0	1.6	8.0±0.2	60
12	1	12	2.2±0.1	1.0/1.0	1.6	8.0±0.2	60

Company Profile







OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM






HOT-SALE PRODUCT















And More.....



















SHIPMENT

PACKAGING

TRUCK LOADING

GOODS RECEIPT

FAQ

1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market (100.00%). There are total about 11-50 people in our factory.

2. how can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment;

3.Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design.we will offer you a reasonable price and make samples for you.

5. what services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW

Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF;

Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow;

Language Spoken: English, Chinese



+8613687956390

cotton@fibercablepuls.com

fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China