

GYXTW outdoor fiber optic cable Fibra cables overhead central bundle tube armored

Basic Information

• Place of Origin:

GUANGZHOU/CHINA

• Brand Name: PUNAISGD/CABLEPULS ISO/CE/ROSH Certification: GYXTW Model Number: • Minimum Order Quantity: 2km • Price: negotiate • Packaging Details: Wooden Spool /drum • Delivery Time: 5-25 days • Payment Terms: 30% TT as deposit, 70% Balance before shipping • Supply Ability: 100km



Product Specification

- Armour Material:
- Core:
- Fiber Mode:
- Strength Member Material: Steel Wire
- Single Armour Material: Corrugated Aluminium Tape

2~24 Core Single Mode

- Outer Jacket Materail: PE
- Highlight:

armoured duct fiber optic cable,
armoured outdoor fiber optic cable

Corrugated Steel Tape Armoured



More Images




Product Description

Uni-Tube Fiber Optic Cable with Armor: The cable is designed with a single uni-tube that contains fibers in a loose buffer tube, allowing for ease of installation and flexibility.

Corrugated Steel Tape: The cable's core is safeguarded by a steel tape armor with a corrugated pattern for increased strength, and it is then sheathed in a black polyethylene jacket for protection. **Embedded Steel Wires:** The inclusion of two steel wires within the cable ensures the desired tension is maintained, providing stability.



Product Construction



Product Construction

Fiber: 2-24 fibers Uni-loose tube gel-filled Armor: Corrugated steel tape Strength Member:

Features

Gel-Filled Uni-Tube for Optimal Fiber Security: The cable is constructed with a gel-filled uni-tube that provides top-tier protection for the fibers, ensuring they remain secure against environmental hazards. Steel Tape Armored for Maximum Protection: The steel tape armoring on the cable offers comprehensive defense against rodent attacks and mechanical damage, enhancing its durability. Tensile Strength and Crush Resistance from Embedded Steel: The steel wires embedded within the cable contribute to its tensile strength and resistance to crushing forces for a more robust installation. Installation-Friendly and Compact: The cable's compact profile simplifies the installation process, making it accessible for a variety of deployment needs.

Designed to Withstand UV and Moisture: The cable is crafted to be resistant to UV rays and moisture, ensuring its longevity and reliability in challenging weather conditions.

Product Paramenters

Fib	Str	Fiber	Loose	CSM	Nominal	Cable	Cableweig
er		s per	tube	diameter/pad			ht
cou		tube	diameter(outer jacket		(kg/km)
nt			mm)	(mm)	(mnm)	(m)	,
2	1	2	1.7±0.1	1.0/1.0	1.6	8.0±0.2	57
4	1	4	1.85±0.1	1.0/1.0	1.6	8.0±0.2	58
6	1	6	1.9±0.1	1.0/1.0	1.6	8.0±0.2	58
8	1	8	2.0±0.1	1.0/1.0	1.6	8.0±0.2	60
12	1	12	2.2±0.1	1.0/1.0	1.6	8.0±0.2	60

Company Profile





OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM



Color Fiber Testing

A Stranded Loose Tube

A Finished Cable Testing



HOT-SALE PRODUCT







2. how can we guarantee quality? Always a pre-production sample before mass production; Always final Inspection before shipment;

3.Can you send products to my country? Sure, we can. If you do not have your own ship forwarder, we can help you.

4. Can you do OEM for me? We accept all OEM orders,just contact us and give me your design.we will offer you a reasonable price and make samples for you.

5. what services can we provide? Accepted Delivery Terms: FOB,CIF,EXW Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF; Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow; Language Spoken:English,Chinese

	guangzhou fiber cablepuls co Itd					
C	+8613687956390	cotton@fibercablepuls.com	e fiberoptical-cables.com			
925-926,	Building B1, No. 2 Chuangh	ui Avenue, Yonghe Yushan Interr province,China	ationalGuangzhou city,Guangdong			