# GYXTW fiber optic cable outdoor 12 24 48 72 cores cable factory dierect sales

### **Basic Information**

. Place of Origin: **GUANGZHOU/CHINA** . Brand Name: PUNAISGD/CABLEPULS

ISO/CE/ROSH · Certification: **GYXTW** Model Number: • Minimum Order Quantity: 2km • Price: negotiate

Wooden Spool /drum Packaging Details:

• Delivery Time: 5-25 days

Payment Terms: 30% TT as deposit, 70% Balance before

shipping

• Supply Ability: 100km



## **Product Specification**

Armour Material: Corrugated Steel Tape Armoured

· Core: 2~24 Core Single Mode • Fiber Mode: • Strength Member Material: Steel Wire

• Single Armour Material: Corrugated Aluminium Tape

• Outer Jacket Materail:

• Highlight: armoured gyxtw fiber optic cable,

armoured outdoor fiber optic cable



## **Product Description**


Single-Jacketed Fiber Optic Cable with Armor: The cable is crafted around a single uni-tube that contains a loose buffer tube for the fibers, and is then fortified with armor and a jacket for complete protection.

Steel Tape Armoring and Polyethylene Enclosure: The cable's core is enveloped by a steel tape armor for enhanced strength, followed by a protective black polyethylene jacket to offer environmental resistance.

Optimal Tension via Embedded Steel Wires: The cable is equipped with two embedded steel wires that are essential for maintaining the right tension, ensuring the cable's reliability and operational stability.



### **Product Construction**



### **Product Construction**

Fiber:
2-24 fibers
Uni-loose tube gel-filled
Armor:
Corrugated steel tape
Strength Member:

Embedded steel wire

#### OuterJacket:

Black UV-and moisture-resistant polyethylene (PE).

#### **Features**

**Gel-Laden Uni-Tube for Optimal Fiber Shielding:** The cable is built around a uni-tube laden with gel, ensuring optimal fiber shielding, safeguarding the fibers within a secure sanctuary.

Steel Tape Armor for Comprehensive Protection: Wrapped in steel tape armor, the cable is safeguarded against external threats such as rodent damage and mechanical impacts, enhancing its durability.

Steel Wires for Enhanced Tensile and Crush Resistance: The cable is fortified with steel wires that provide the necessary tensile strength and crush resistance, ensuring its performance remains reliable in a variety of conditions.

Concise Design for Effortless Installation: The cable's concise and compact design simplifies the installation process, making it suitable for a wide range of installation scenarios.


**Designed for Environmental Durability:** The cable is designed with UV and moisture resistance, preserving its functionality and performance in various weather conditions.

#### **Product Paramenters**

Fib er cou nt	uct	Fiber s per tube	Loose tube diameter( mm)	CSM diameter/pad diameter (mm)	Nominal Thickness of outer jacket (mnm)		Cableweig ht (kg/km)
2	1	2	1.7±0.1	1.0/1.0	1.6	8.0±0.2	57
4	1	4	1.85±0.1	1.0/1.0	1.6	8.0±0.2	58
6	1	6	1.9±0.1	1.0/1.0	1.6	8.0±0.2	58
8	1	8	2.0±0.1	1.0/1.0	1.6	8.0±0.2	60
12	1	12	2.2±0.1	1.0/1.0	1.6	8.0±0.2	60

## **Company Profile**







## **OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM**






# **HOT-SALE PRODUCT**



































SHIPMENT

PACKAGING - TRUCK LOADING

**GOODS RECEIPT** 

### **FAQ**

#### 1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market (100.00%). There are total about 11-50 people in our factory.

#### 2. how can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment;

### 3.Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

### 4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design.we will offer you a reasonable price and make samples for you.

### 5. what services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW

Accepted Payment Currency: USD, EUR, JPY, CAD, AUD, HKD, GBP, CNY, CHF;

Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow;

Language Spoken: English, Chinese



+8613687956390

cotton@fibercablepuls.com

fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China