



Mini Figure 8 12 Fiber Self Supporting Aerial Optical Cable With 7 Wires GYXTC8Y

Our Product Introduction

for more products please visit us on fiberoptical-cables.com

Basic Information

- Place of Origin: GUANGZHOU/CHINA
- Brand Name: PUNAISGD/CABLEPULS
- Certification: ISO/CE/ROSH
- Model Number: gyxtc8y-12B1.3
- Minimum Order Quantity: 2km
- Price: negotiable
- Packaging Details: Wooden Spool /drum
- Delivery Time: 5-25days
- Payment Terms: 30%TT as deposit,70%Balance before shipping.
- Supply Ability: 100km



Product Specification

- Item NO.: Gyxtc8y-12b1.3
- TYPE: FIG.8
- Loose Tube Material: PBT
- Strength Member: Aramid Yarn & STEEL WIRES
- Application: OVERHEAD
- Fiber: G652D
- Highlight: Self Supporting Aerial Optical Cable,
7 Wires Aerial Optical Cable,
GYXTC8Y Aerial Optical Cable




Product Description

Aerial Mini Figure.8 Fiber Optic Cable 12 Fiber Self-Supporting Aerial Optical Cable With 7 Wires GYXTC8Y

- 1.In terms of structure, 12 core optical cable is mainly divided into two types of structure: outdoor and indoor.
- 2.There are mainly two types of outdoor core, the central beam tube type and the laminate tube type, and the laminate tube type is commonly used, because the number of cores contained by laminate tube type is relatively large, and its protection performance is better than that of the central beam tube type.
- 3.The central beam tube type is located in the fiber optic cable center, using no paste filling , double steel wire reinforced structure;
- 4.Laminar stranding is a form of structure in which optical fibers surround a central stiffener.

Our Product Introduction





Model: GYXTC8Y

Messenger: 1.5mm Standed Galvanized Steel

Messenger for Flexibility

Fiber : Up to 24 cores, Gel filled

Jacket: Single HDPE Sheath

Aarmor: None

Tension Strength: 1000(Short term)

300(Long term)

Cable Diameter: 5.1*10.2mm

Package: 4km/drum

Weight: 47KG/KM

Model: GYXTC8S

Messenger: 1.5mm Standed Galvanized Steel

Messenger for Flexibility

Fiber : Up to 24 cores, Gel filled

Jacket: Single HDPE Sheath

Aarmor: Steel Tape


Tension Strength: 1000(Short term)


300(Long term)

Cable Diameter: 7.6*14.5mm

Package: 4km/drum

Weight: 117KG/KM





Model: GYTC8Y

Messenger: 7*1.0mm Standed Galvanized Steel

Messenger for Flexibility

Fiber : Up to 288 cores, Gel filled

Jacket: Single MDPE Sheath

Water Block: Water Blocking or Gel-filled

Aarmor: None

Tension Strength: 3000(Short term)

1000(Long term)

Cable Diameter: 9.1*16.9mm

Package: 4km/drum

Weight: 142KG/KM

Model: GYTC8S

Messenger: 7*1.0mm Standed Galvanized Steel

Messenger for Flexibility

Fiber : Up to 288 cores, Gel filled

Jacket: Single MDPE Sheath

Water Block: Water Blocking or Gel-filled

Aarmor: Steel Tape, Thickness 1mm


Tension Strength: 3000(Short term)

1000(Long term)


Cable Diameter: 9.5*17mm

Package: 4km/drum


Weight: 156KG/KM



GYTC8S Cable Place Order Information



Fiber count	6 core 8 core 12 core
Fiber Type:	G652D/G657A1/G657A2
Crush Resistance Long term:	300 (N/100MM)
Crush Resistance Short term:	1000(N/100MM)
Overall Diameter	7.8x4mm
Sheath	PE
Strand Steel wire	7*0.8mm
Sample Status	In stock



Production Supplier Profile



COMPANY PROFILE



ABOUT FIBER
Guangzhou fiber cablepuls co.,ltd

Fiber cablepuls is one of the high-tech fiber optic cable factories in China that can produce the most complete series of fiber optic cables, equipped with the most advanced fiber optic cable manufacturing, and have the most advanced fiber optic connector production and testing equipment in China.

The factory has obtained SGS ISO9001:2015, ISO14001:2004 and GB/T28001:2001 successively obtained international system certification.

Over the past 12 years, we have provided optical cable products and comprehensive solutions to more than 50 countries and regions around the world, and have received unanimous praise from customers, such as foreign telecom departments of the United States, Mexico Telecom, Thailand Telecom, Philippines Telecom, etc.; domestic customers include: China Mobile, the General Administration of Radio, Film and Television, Lenovo, and many other large national enterprises.



OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM



How do I place an OEM or customized order?

- 1) Send your purchase intention to our email: cotton@fibercablepuls.com
- 2) Our sales team will contact you to confirm the product specification, packaging, printing, quantity, and other specific information.
- 3) Sign the contract or Proforma Invoice.
- 4) After receiving your deposit, we will start to arrange the production.
- 5) 2 weeks before the completion of production, we will notify you to start contacting shipping.

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China