Basic Information

. Place of Origin: **GUANGZHOU/CHINA** . Brand Name: PUNAISGD/CABLEPULS

ISO/CE/ROSH · Certification: Model Number: **GYFTC8Y** • Minimum Order Quantity: 2KM • Price: negotiate

 Packaging Details: Wooden Spool /drum

• Delivery Time: 5-25 days

Payment Terms: 30% TT as deposit, 70% Balance before

shipping

• Supply Ability: 100km



Product Specification

GYFTC8Y . Type: • Fiber Mode: Single Mode

PΕ · Outsheath Material:

Sheath Color: Customized FIBER OPTIC · Cable Material: • Cable Type: **AERIAL**

• Highlight: GYFTC8Y Figure 8 Fiber Optic Cable,

FPR Figure 8 Fiber Optic Cable, **FPR Communication Fiber Optic Cable**



More Images




Our Product Introduction


GYFTC8Y Figure.8 Fiber Optic Cable With FPR Strength Member For Communication Products Description



The fibers, 250µm, are positioned in a loose tube made of a high modulus plastic. The tubes are filled with a water-resistant filling compound. A FRP locates in the center of core as a strength member. The tubes (and fillers) are stranded around the strength member into a compact and circular cable core. After an Aluminum Polyethylene Laminate (APL) or PSP moisture barrier is applied around the cable core, this part of cable accompanied with the stranded wires as the supporting part are completed with a polyethylene (PE) sheath to be figure 8 structures.

Details Images





- 1.Out sheath
- 2.Mental strengthen member
- 3.Gallus
- 4. Corrugated steel tape
- 5.FPRstrength member
- 6.Fiber
- 7.Loose Tube
- 8. Water blocking system

Product Paramenters

No. of cable		12	24	48
Fiber Model		G.652D		
Design (StrengthMember+Tube&Filler)		1+5		
Loose Tube	Material	PBT		
	Diameter (±0.06)mm	1.9	1.9	1.9
	Thickness (±0.03)mm	0.25	0.25	0.30
	The Max.Core NO./Tube	6	6	12
Filler Rope	Material	LDPE		
	Diameter (±0.05)mm	1.65	1.65	1.9
	NO.	3	1	1
Armoring	Material	Steel tape		
	Thickness(+0.03)mm	0.20		
Outer Sheath®	Material	MDPE		
	Thickness (±0.2)mm	1.5		

Outer Sheath® Material MDPE

Company Profile



FREE SAMPLES ONE-STOP SHOP





PROFESSIONAL PERSISTENCE













12


90+

120+

≤ 2h

2h

99%















OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM











▲ Fiber to I

▲ Stranded Loose 1

▲ Finished Cable Testing



HOT-SALE PRODUCT















And More....



















SHIPMENT

PACKAGING

TRUCK LOADING

GOODS RECEIPT

FAQ

1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market(100.00%). There are total about 11-50 people in our factory.

2. how can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment;

3.Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design.we will offer you a reasonable price and make samples for you.

5. what services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW
Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF;
Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow;
Language Spoken:English,Chinese



+8613687956390

cotton@fibercablepuls.com

fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China