



GYXTC8S Aerial Figure 8 Fiber Optic Cable Waterproof With Messenger Wire

Our Product Introduction

for more products please visit us on fiberoptical-cables.com

Basic Information

- Place of Origin: GUANGZHOU/CHINA
- Brand Name: PUNAISGD/CABLEPULS
- Certification: ISO/CE/ROSH
- Model Number: GYXTC8S
- Minimum Order Quantity: 2km
- Price: negotiate
- Packaging Details: Wooden Spool /drum
- Delivery Time: 5-25 days
- Payment Terms: 30% TT as deposit, 70% Balance before shipping
- Supply Ability: 100km



Product Specification

- Type: GYXTC8S
- Cable Type: Figure-8 Aerial Cable
- Jacket Material: PE
- Application: Aerial Installation For Long Distance Communication
- Fiber Type: Single-mode
- Highlight: **Aerial Figure 8 Fiber Optic Cable Waterproof , GYXTC8S Aerial Fiber Optic Cable, GYXTC8S Aerial Fiber Cable**




More Images



Product Description


GYXTC8S Fiber Optic Cable Aerial Cable With Messenger Wire Waterproof Cable Products Description



GYXTC8S Fiber Optic Cable

For the GYXTC8S cable, a 250μm fiber is inserted into a tube that is both loose and made of a material with a high modulus of elasticity, and this tube is filled with a gel that is resistant to water. The tube is then covered with a steel strip that has plastic coating on both sides (PSP), which is oriented in a longitudinal direction. A water-blocking substance is added between this steel strip and the tube to ensure that the cable is compact and can block water from moving in the longitudinal direction. The cable also contains a steel strand that is woven into an 8-shaped pattern, all wrapped in a polyethylene sheath.

Detail Images



Features:

- 1.The strand's steel wire is endowed with an extraordinarily high tensile strength, making it suitable for self-supporting aerial deployment and thus reducing the installation expenses.
- 2.It has commendable mechanical and temperature-related attributes.
- 3.The material used for the loose tube is inherently strong and resistant to hydrolysis.
- 4.The tube is packed with a special grease that serves to protect the fiber.
- 5.The double-coated steel strip (PSP) enhances the cable's ability to withstand moisture.
- 6.It has a small diameter, is lightweight, and simple to lay.
- 7.It is offered in long lengths and is economically priced.

Product Parameters

Fiber Model		G.652D	
Loose Tube	Material	PBT	
	Diameter (± 0.1)mm	1.8	2.0
	Thickness (± 0.05)mm	0.30	
Water Blocking layer(Material)		Water Blocking Tape	
Armoring	Material	Steel Tape	
	Thickness (± 0.03)mm	0.2	
	Material	Galvanized steel strand	

Messenger Wire	Size (±0.05)mm	2.7mm		
Web	Material	MDPE		
	Size (±0.1)mm	2.0 ×3.0		
Outer Sheath①	Material	MDPE		
	Thickness (±0.1)mm	1.2		
Outer Sheath②	Material	MDPE		
	Thickness (±0.1)mm	1.5		
Cable Diameter (±0.5)mm		7.0* 11.5	7.0*11.5	7 . 3 * 1 3 . 5
Cable Weight (±10)kg		80	80	9 4
Min. bending radius	Without Tension	10.0 ×Cable-φ		
	Under Maximum Tension	20.0 ×Cable-φ		
Temperature range (°C)	Installation	-20~+60		
	Transport&Storage	-40~+70		
	Operation	-40~+70		

Company Profile

NEWS AND FIBER OPTICAL CABLE SOLUTION

FREE SAMPLES
ONE-STOP SHOP

PROFESSIONAL PERSISTENCE

OEM FOR WELL-KNOW BRANDS

Experiences

Sold to Countries

Cooperative Suppliers

Response Time

On-time Delivery Rate

SUPPLIER FORTUNE 500 COMPANYS

12

90+

120+

≤ 2h

99%

COMPANY PROFILE

ABOUT FIBER

Guangzhou fiber cablepuls co.,ltd

Fiber cablepuls is one of the high-tech fiber optic cable factories in China that can produce the most complete series of fiber optic cables, equipped with the most advanced fiber optic cable manufacturing, and have the most advanced fiber optic connector production and testing equipment in China.

The factory has obtained SGS ISO9001-2015, ISO14001-2004 and GB/T28001-2001 successively obtained international system certification.

Over the past 12 years, we have provided optical cable products and comprehensive solutions to more than 90 countries and regions around the world, and have received unanimous praise from customers, such as foreign telecom departments of the United States, Mexico Telecom, Thailand Telecom, Philippines Telecom, etc.; domestic customers include: China Mobile, the General Administration of Radio, Film and Television, Lenovo, and many other large national enterprises.



OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM



HOT-SALE PRODUCT



TRANSPORT&PAY



And More.....



SHIPMENT



PACKAGING



TRUCK LOADING



GOODS RECEIPT

FAQ

1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market(100.00%). There are total about 11-50 people in our factory.

2. how can we guarantee quality?

Always a pre-production sample before mass production;
Always final Inspection before shipment;

3.Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

4. Can you do OEM for me?

We accept all OEM orders,just contact us and give me your design.we will offer you a reasonable price and make samples for you.

5. what services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW

Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF;

Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow;

Language Spoken:English,Chinese



guangzhou fiber cablepuls co ltd



+8613687956390



cotton@fibercablepuls.com



fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong
province,China